

Printing date 18.05.2020 Version number 2 Revision: 18.05.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weberfloor 4716 Primer

Safety data sheet no.: 358P0567

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Dispersion glue

Priming

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Ov / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 295 e-mail: info@fi.weber

www.fi.weber

1.4 Emergency telephone number: Tel. +358-(0)10-44 22 00

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH210 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

3.2 Chemical characterisation: Mixtures Description: Styrene acrylate dispersion

**Dangerous components:** 

CAS: 124-68-5 2-amino-2-methylpropanol

Index number: 603-070-00-6 H412

**SVHC** Void

(Contd. on page 2)

<1.5%



Printing date 18.05.2020 Version number 2 Revision: 18.05.2020

Trade name weberfloor 4716 Primer

(Contd. of page 1)

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Immediately rinse with water.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing agents

Water haze

Carbon dioxide

Fire-extinguishing powder

Foam

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

## 5.3 Advice for firefighters

## **Protective equipment:**

Wear fully protective suit.

Wear self-contained respiratory protective device.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). warm water and cleaning agent

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EUG



Printing date 18.05.2020 Version number 2 Revision: 18.05.2020

Trade name weberfloor 4716 Primer

(Contd. of page 2)

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:** No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### 8.2 Exposure controls

## Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

#### Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device when high

concentrations are present.

Filter A2/P2.

Protection of hands: Protective gloves.

### **Material of gloves**

PE gloves

Butyl rubber, BR

Neoprene gloves

Nitrile rubber, NBR

PVC gloves

Fluorocarbon rubber (FKM-Viton)

Natural rubber, NR

Not suitable are gloves made of the following materials: PVA gloves

**Eye protection:** Tightly sealed goggles **Body protection:** Protective work clothing.

EUG



Printing date 18.05.2020 Version number 2 Revision: 18.05.2020

Trade name weberfloor 4716 Primer

(Contd. of page 3)

SECTION 9: Physical and chemical	properties				
9.1 Information on basic physical and chem	nical properties				
General Information					
Appearance:					
Form:	Dispersion				
Colour:	Milky white				
Odour: Odour threshold:	Mild Not determined.				
pH-value at 20 °C:	6.5-9.5				
Change in condition					
Melting point/freezing point:	0 °C				
Initial boiling point and boiling range:	100 °C				
Flash point:	Not applicable				
Ignition temperature:	Not determined.				
Decomposition temperature:	Not determined.				
Explosive properties:	Product does not present an explosion hazard.				
Explosion limits:					
Lower:	Not determined.				
Upper:	Not determined.				
Oxidising properties	Not determined.				
Vapour pressure at 20 °C:	23 hPa				
Density:					
Bulk density at 20 °C:	0.95 - 1.10 g/cm³				
Vapour density	Not determined.				
Evaporation rate	Not determined.				
Solubility in / Miscibility with					
Water:	Fully miscible				
Segregation coefficient (n-octanol/water) lo	og				
Pow:	Not determined.				
Viscosity:					
dynamic:	Not determined.				
kinematic:	Not determined.				
Solvent content:					
Organic solvents:	0.0 %				
Water:	50.0 %				
EU-VOC (%)	1.54 %				
EU-VOC (g/L) Solids content:	<17.0 g/l				
9.2 Other information	50.0 % No further relevant information available.				
5.2 Other information	ino iuitilei reievarit iriioririatiori avallable.				



Printing date 18.05.2020 Version number 2 Revision: 18.05.2020

Trade name weberfloor 4716 Primer

(Contd. of page 4)

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity Not reactive under normal conditions of use
- 10.2 Chemical stability Stable at recommended storage conditions
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** Keep away from sources of ignition. Protect from frost.
- 10.5 Incompatible materials: Product coagulation occurs when acid substances are added
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Туре	Value	Species	
Oral	LD50	>2,000 mg/kg (Rat)			
Dermal	LD50	>2,000 mg/kg (Rat)			

#### Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Printing date 18.05.2020 Version number 2 Revision: 18.05.2020

#### Trade name weberfloor 4716 Primer

European waste catalogue

(Contd. of page 5)

Possible waste code. The concrete waste code depends on the source of the waste.

07 02 99 wastes not otherwise specified

Uncleaned packaging:

**Recommendation:** Non contaminated packagings may be recycled.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	<b>f</b> Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1272/2008 (CLP)

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)



Printing date 18.05.2020 Version number 2 Revision: 18.05.2020

#### Trade name weberfloor 4716 Primer

(Contd. of page 6)

#### Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Department issuing SDS:**

Saint-Gobain Finland Ov / Weber

**QEHS** 

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

#### Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

#### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG