Revision: 05.12.2022



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2022

Version number 9 (replaces version 8)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weber 137 Fine render

Safety data sheet no.: 358P0206

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

cement portland, grey calcium dihydroxide

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P102 Keep out of reach of children.

(Contd. on page 2)



Printing date 05.12.2022 Version number 9 (replaces version 8) Revision: 05.12.2022

Trade name weber 137 Fine render

(Contd. of page 1)

P261 Avoid breathing dust.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Ready-mixed mortar with Portland cement

Dangerous components:		·	
CAS: 14808-60-7	Silicon dioxide (Quartz sand)		
EINECS: 238-878-4	substance with a Community workplace exposure limit		
CAS: 65997-15-1	cement portland, grey	10-20%	
EINECS: 266-043-4	Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203		
	Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %		
CAS: 471-34-1	calcium carbonate	5-10%	
EINECS: 207-439-9	substance with a Community workplace exposure limit		
Reg.nr.: 01-2119486795-18-xxxx			
CAS: 1305-62-0	calcium dihydroxide	≥3-<5%	
EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx			
		l	

SVHC Void

Additional information

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)



Printing date 05.12.2022

Version number 9 (replaces version 8)

Trade name weber 137 Fine render

(Contd. of page 2)

Revision: 05.12.2022

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation Risk of eye damage in contact with dry or moist product. Irritating to skin and respiratory tract. Repeated and/or long-term inhalation of dust may increase the risk of lung diseases.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

The product is not combustible.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up:

The dry powder and the fresh product is removed with water. The hardened product is removed mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)



Printing date 05.12.2022 Revision: 05.12.2022 Version number 9 (replaces version 8)

Trade name weber 137 Fine render

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required. Further information about storage conditions: Store in dry conditions.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNELs			
CAS: 471-34-1 calciu	m carbonate		
Inhalative Derived No	Effect Level 6.36 mg/m³ (worker local long term value)		
	1.06 mg/m³ (consumer local long term value)		
CAS: 1305-62-0 calci	um dihydroxide		
Inhalative Derived No	Effect Level 4 mg/m³ (worker local short term value)		
	1 mg/m³ (worker local long term value)		
	1 mg/m³ (consumer local long term value)		
	4 mg/m³ (consumer local short term value)		
PNECs			
CAS: 1305-62-0 calci	um dihydroxide		
Predicted No-Effect C	oncentration 9.32 mg/l (sea water rating factor)		
	0.49 mg/l (fresh water rating factor)		
CAS No. / Design	nation of material / % / Type / Value / Unit		
CAS: 14808-60-7 Silic	con dioxide (Quartz sand)		
BOELV (European Un	nion) Long-term value: 0.1* mg/m³		
	*respirable fraction		
MAK (Germany)	Long-term value: 0.05 mg/m³		
	alveolengängige Fraktion		
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m³		
	Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK		
LEP (Spain)	Long-term value: 0.05 mg/m³		
(ops)	*Fracción resp:n,d,y		
TWA (Italy)	Long-term value: 0.025 mg/m³		
	A2, (j)		
VLE (Portugal)	Long-term value: 0.025 mg/m³		
0=1 (0 1)	Resp.;A2; fibrose pulmonar; cancro do pulmão		
()FI (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion		
OEL (Sweden)	I C. IVI. I CONII ANCI II ANLIUII		
HTP (Finland)	Long-term value: 0.05 0.1* mg/m³		



Printing date 05.12.2022 Version number 9 (replaces version 8) Revision: 05.12.2022

Trade name weber 137 Fine render

	(Contd. of pa
CAS: 65997-15-1 cement	
AGW (Germany)	Long-term value: 5 E mg/m³ DFG
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae
CAS: 471-34-1 calcium c	arbonate
LEP (Spain)	Long-term value: 10 mg/m³
TWA (Italy)	Long-term value: (10) mg/m³ (e)
VLE (Portugal)	Long-term value: (10) mg/m³ (Irritação)
CAS: 1305-62-0 calcium	dihydroxide
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction
AGW (Germany)	Long-term value: 1E mg/m³ 2(I);Y, EU, DFG
GV (Denmark)	Short-term value: 10 4* mg/m³ Long-term value: 5 1* mg/m³ E; *respirabel fraktion
LEP (Spain)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d
TWA (Italy)	Long-term value: 5 mg/m³
VL (Italy)	Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica
VLE (Portugal)	Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea
OEL (Sweden)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³
HTP (Finland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³

8.2 Exposure controls

Appropriate engineering controls

Finland: cement

inhalable dust OEL(8h) = 5 mg/m3 respirable dust OEL(8h) = 1 mg/m3

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)



Printing date 05.12.2022 Version number 9 (replaces version 8) Revision: 05.12.2022

Trade name weber 137 Fine render

(Contd. of page 5)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Filter P3.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Eye/face protection Tightly sealed goggles **Body protection**: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour:Specific typeOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Flammability Product is not flammable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

pH at 20 °C 12-13 In water

Viscosity:

Kinematic viscosity
dynamic:
Not determined.
Not determined.

Solubility

Water: Insoluble
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not applicable.

Density and/or relative density

Density:1.3-1.5 g/cm³Vapour densityNot applicable.Particle characteristicsSee item 3.

9.2 Other informationNo further relevant information available.

Appearance:

Form: Powder

(Contd. on page 7)



Printing date 05.12.2022 Revision: 05.12.2022 Version number 9 (replaces version 8)

Trade name weber 137 Fine render

(Contd. of page 6)

Important information on protection of health

and environment, and on safety.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent content:

Organic solvents: 0.0 % 0.0000 % EU-VOC (%) EU-VOC (g/L) 0.0000 g/l Solids content: 100.0 %

Change in condition

Softening point/range

Oxidising properties Not determined. **Evaporation rate** Not applicable.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void

Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** When mixed with water the product hardens forming a stable non-reactive mass.
- **10.2 Chemical stability** Stable at recommended storage conditions
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid

Avoid water ingress/moisture during storage (the product will react with moisture and harden). Avoid water ingress/moisture during storage

- 10.5 Incompatible materials: Acids, ammonium salts, aluminum, non-precious metals.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.



Printing date 05.12.2022 Version number 9 (replaces version 8) Revision: 05.12.2022

Trade name weber 137 Fine render

(Contd. of page 7)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Туре	1	Value	1	Species		
CAS: 65	CAS: 65997-15-1 cement portland, grey								
Dermal	LD50	>2,000 mg/	kg (Rabbit)						
CAS: 47	71-34-1	calcium c	arbonate						
Oral	LD50	6,450 mg/k	g (Rat)						
Dermal	LD50	6,450 mg/k	g (Rat)						
CAS: 13	CAS: 1305-62-0 calcium dihydroxide								
Oral	LD50	>2,000 mg/	kg (Rat)						
Dermal	LD50	>2,500 mg/	kg (Rabbit))					

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine	disrupting	properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test	Type of test / Effective concentration / Method / Assessment				
CAS: 471-34	CAS: 471-34-1 calcium carbonate				
EC50/72h	14 mg/l (Algae)				
CAS: 1305-6	CAS: 1305-62-0 calcium dihydroxide				
LC50/96h	158 mg/l (Daphnia magna)				
	>50.6 mg/l (Fish)				
EC50/48h	49.1 mg/l (Daphnia magna)				
EC50/72h	184.57 mg/l (Algae)				
NOEC (14d)	32 mg/l (Daphnia magna)				

12.2 Persistence and degradability The product is not biodegradable.

12.3 Bioaccumulative potential Does not accumulate in organisms

(Contd. on page 9)



Printing date 05.12.2022 Version number 9 (replaces version 8) Revision: 05.12.2022

Trade name weber 137 Fine render

(Contd. of page 8)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment
CAS: 1305-62-0 calcium dihydroxide
EC 50 (3h) 300.4 mg/l (Activated sludge)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

European	European waste catalogue				
17 01 01	concrete				
16 03 03*	inorganic wastes containing hazardous substances				
	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10				
HP4	Irritant - skin irritation and eye damage				

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	

(Contd. on page 10)

Revision: 05.12.2022



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2022

Version number 9 (replaces version 8)

Trade name weber 137 Fine render

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information: Not dangerous according to the above specifications.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets) Cement clinker is exempted from REACH registration (REACH Article 2(7)(b) and Annex V point 10) Portland cement clinker is exempt from REACH registration (Article 2.7b and Annex V, section 10).

REACH Annex VII Restrictions: 47. Chromium VI compounds

- 1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.
- 2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 11)





Printing date 05.12.2022 Version number 9 (rep

Version number 9 (replaces version 8) Revision: 05.12.2022

Trade name weber 137 Fine render

(Contd. of page 10)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation
Serious eye damage/eye irritation
Specific target organ toxicity (single exposure)

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 520

Version number of previous version: 8

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 12)





Printing date 05.12.2022

Version number 9 (replaces version 8)

Revision: 05.12.2022

Trade name weber 137 Fine render

* Data compared to the previous version altered.

(Contd. of page 11)

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

ELIC