# 

## **Safety Data Sheet**

according to 1907/2006/EC, Article 31

Printing date 25.05.2023

Version number 2 (replaces version 1)

Revision: 25.05.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber maxfill

Safety data sheet no.: 358P0947 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Saint-Gobain Finland Oy / Weber PL 70 (Strömberginkuja 2) FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 295 DL-productsafety.fi@saint-gobain.com www.fi.weber **1.4 Emergency telephone number:** 0800 147 111 (toll-free) 09 471 977 (standard rate) Finnish Poison Information Centre

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. **Hazard pictograms** 



Signal word Danger

Hazard-determining components of labelling:cement, portland, whitecalcium dihydroxideHazard statementsH315 Causes skin irritation.H318 Causes serious eye damage.H335 May cause respiratory irritation.Precautionary statementsP102Keep out of reach of children.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 25.05.2023

#### Trade name weber maxfill

(Contd. of page 1)

P261	Avoid breathing dust.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
2.3 Other hazard	ls

Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Ready-mixed mortar with Portland cement

Dangerous components:		
CAS: 65997-15-1 EINECS: 266-043-4	cement, portland, white	25-50%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<5%

## SVHC Void

#### **Additional information**

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2 ppm). It doesn't need any chromate reducing agent.

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Immediately wash with water and soap and rinse thoroughly.

#### After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

#### 4.2 Most important symptoms and effects, both acute and delayed

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation

(Contd. on page 3)





according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 25.05.2023

(Contd. of page 2)

Trade name weber maxfill

Printing date 25.05.2023

## 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing agents

The product is not combustible.

Use fire extinguishing methods suitable to surrounding

conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

## 5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

## 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

The dry powder and the fresh product is removed with water. The hardened product is removed mechanically.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Store in dry conditions.

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

FUG



Version number 2 (replaces version 1)

Revision: 25.05.2023

Trade name weber maxfill

				(Contd. of page
SECTIO	N 8: Exposu	re cont	rols/personal protection	
	ol parameters ts with limit va	lues that	t require monitoring at the workplace:	
DNELs			roquito montoring at the workplace.	
-	5-62-0 calcium	dihydrox	xide	
		-	4 mg/m <sup>3</sup> (worker local short term value)	
			1 mg/m³ (worker local long term value)	
			1 mg/m <sup>3</sup> (consumer local long term value)	
			4 mg/m³ (consumer local short term value)	
PNECs				
	5-62-0 calcium			
Predicted	No-Effect Conc	entration	0.32 mg/l (sea water rating factor)	
			0.49 mg/l (fresh water rating factor)	
	-		erial / % / Type / Value / Unit	
	97-15-1 cemen	· •	•	
AGW (Gei	rmany)	Long-ter	m value: 5 E mg/m³	
LEP (Spai	n)		m value: 4 mg/m <sup>3</sup>	
(	.,		respirable: e, d	
TWA (Italy	()	Long-ter (e, j), A4	m value: 1 mg/m³	
VLE (Portu	ugal)		m value: 1 mg/m³ esp.;A4,função pulm.,sintomas resp.,asma	
HTP (Finla	and)		m value: 5* 1** mg/m³ vä pöly, **alveolijae	
CAS: 130	5-62-0 calcium	dihydrox	kide	
IOELV (Eu	ıropean Union)	Long-ter	rm value: 4 mg/m³ m value: 1 mg/m³ ble fraction	
AGW (Ger	rmany)	Long-ter 2(I);Y, E	m value: 1E mg/m³ U, DFG	
GV (Denm	nark)	Short-term value: 10 4* mg/m³ Long-term value: 5 1* mg/m³ E; *respirabel fraktion		
LEP (Spai	n)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d		
TWA (Italy	/)	Long-term value: 5 mg/m³		
VL (Italy)		Long-ter	rm value: 4* mg/m³ m value: 1* mg/m³ e toracica	
VLE (Portu	ugal)		m value: 5 mg/m³ ocular, do TRS, cutânea	
				(Contd. on pa



Printing date 25.05.2023

**A**weber

Version number 2 (replaces version 1)

Revision: 25.05.2023

Trade name weber maxfill

		(Contd. of page 4
OEL (Sweden)	Short-term value: 4 mg/m³ _ong-term value: 1 mg/m³	
HTP (Finland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	
General protective and The usual precautionary of Keep away from foodstuf Immediately remove all so Wash hands before bread Avoid contact with the eye Use a moisturising skin c Respiratory protection:	easures are to be adhered to when handling , beverages and feed. led and contaminated clothing. s and at the end of work. s and skin. eam after processing the product. btective device when high	
In case of brief exposure In case of intensive or lor	r low pollution use respiratory filter device. er exposure use self-contained respiratory pr	rotective device.
Hand protection The glove material has to Protective gloves. Eye/face protection Tigh Body protection: Protect		the substance/ the mixture.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and	chemical properties	
General Information	• · · · · · · · ·	
Colour:	According to product specification	
Odour:	Mild	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point ar	nd boiling	
range	Undetermined.	
Flammability	Product is not flammable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
pH	12-13	
Viscosity:		
Kinematic viscosity	Not applicable.	
Kinematic viscosity		
dynamic:	Not applicable.	

Printing date 25.05.2023

**A**weber

Version number 2 (replaces version 1)

Revision: 25.05.2023

Trade name weber maxfill

	(Contd. of page
Solubility	
Water:	Miscible
Partition coefficient n-octanol/water (log va	
Vapour pressure:	Not applicable.
Vapour pressure:	
Density and/or relative density	
Density at 20 °C:	n. 800 g/dm3
Relative density	Not determined.
Vapour density	Not applicable.
Particle characteristics	See section 3.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
EU-VOC (%)	0.00 %
EU-VOC (g/L)	0.0 g/l
Solids content:	100.0 %
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not applicable.
Information with regard to physical haz	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
	Void
U U	
Oxidising liquids	
Oxidising liquids Oxidising solids	Void
Oxidising liquids	

## **SECTION 10: Stability and reactivity**

10.1 Reactivity When mixed with water the product hardens forming a stable non-reactive mass.

(Contd. on page 7) - EUG -

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 25.05.2023

(Contd. of page 6)

Trade name weber maxfill

10.2 Chemical stability Stable at recommended storage conditions

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

- **10.5 Incompatible materials:** Acids, ammonium salts, aluminum, non-precious metals.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	1	Type /	Value	1	Species
------------	---	--------	-------	---	---------

CAS: 65997-15-1 cement, portland, white

Dermal LD50 >2,000 mg/kg (Rabbit)

Copolymer of vinyl chloride, ethylene and vinyl ester with mineral additives and protective colloid

Oral LD50 >2,000 mg/kg (Rat)

CAS: 1305-62-0 calcium dihydroxide

LD50 >2,000 mg/kg (Rat) Oral

Dermal LD50 >2,500 mg/kg (Rabbit)

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

Copolymer of vinyl chloride, ethylene and vinyl ester with mineral additives and protective colloid

LC50/96h >1,000 mg/l (Cyprinus Carpio (common carp))

> (Contd. on page 8) EUG



### Version number 2 (replaces version 1)

Revision: 25.05.2023

Trade name weber maxfill

	(Contd. of page 7)				
CAS: 1305-6	2-0 calcium dihydroxide				
LC50/48h	1,830 mg/l (Daphnia magna)				
LC50/96h	158 mg/l (Daphnia magna)				
	50.6-457 mg/l (Fish)				
EC50/48h	49.1 mg/l (Daphnia magna)				
EC50/72h	184.57 mg/l (Algae)				
NOEC (72h)	48 mg/l (Algae)				
NOEC (14d)	32 mg/l (Daphnia magna)				
	ence and degradability The product is not biodegradable.				
	umulative potential Does not accumulate in organisms				
	y in soil No further relevant information available.				
	of PBT and vPvB assessment				
	not contain PBT substances.				
	not contain vPvB substances.				
	12.6 Endocrine disrupting properties				
	The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects				
Remark:					
The product fish and bact	contains substances which cause a local pH change and thus have a detrimental effect on eria.				
Behaviour in	n sewage processing plants:				
Type of test	/ Effective concentration / Method / Assessment				
CAS: 1305-6	2-0 calcium dihydroxide				
EC 50 (3h) 3	300.4 mg/l (Activated sludge)				
Additional e	cological information:				
General not	es: Do not allow product to reach ground water, water course or sewage system.				
SECTION	13: Disposal considerations				

#### 13.1 Waste treatment methods

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

European	European waste catalogue		
17 01 01	concrete		
16 03 03*	inorganic wastes containing hazardous substances		
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10		
HP 4	Irritant - skin irritation and eye damage		
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		

## Uncleaned packaging:

### **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 9) - EUG -

Printing date 25.05.2023

**\_**we

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 25.05.2023

(Contd. of page 8)

Trade name weber maxfill

Disposal must be made according to official regulations. Recommended cleaning agent: Thoroughly shake out sacks.

## **SECTION 14: Transport information**

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP) Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Cement clinker is exempted from REACH registration (REACH Article 2(7)(b) and Annex V point 10) Labelling according to Regulation (EC) No 1272/2008 cf. section 2

## Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

## **REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

## DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

## **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 10) FUG

**<sup>1</sup>**W/e

# 

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2023

Version number 2 (replaces version 1)

Revision: 25.05.2023

(Contd. of page 9)

Trade name weber maxfill

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual

relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### **Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

### Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation	The classification of the mixture is generally based on
	the calculation method using substance data according
Specific target organ toxicity (single exposure)	to Regulation (EC) No 1272/2008.

## Department issuing SDS:

Saint-Gobain Finland Oy / Weber QEHS P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

#### Contact:

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 520

#### Version number of previous version: 1

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

```
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
```

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

(Contd. on page 11)

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 25.05.2023

Trade name weber maxfill

Printing date 25.05.2023

(Contd. of page 10)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG -

