Revision: 03.10.2022



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2023

Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: weber ready mix glue
Safety data sheet no.: XXP001923

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free) 09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), Poly[oxy(methyl-1,2-ethanediyl)],alpha-(methylphenyl)-omega-hydroxy-, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

- EUG



Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
EC number: 618-605-9	Poly[oxy(methyl-1,2-ethanediyl)],alpha- (methylphenyl)-omega-hydroxy- ♦ Skin Sens. 1, H317	≥0.1-<1%
Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Immediately rinse with water.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

Seek immediate medical advice.

After swallowing Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)





Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

The product is not combustible.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Avoid contact with skin and eyes.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Dermal Derived No Effect Level 0.966 mg/kgxday (worker systemic long term value)

(Contd. on page 4)



Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

		(Contd. of page			
		0.345 mg/kgxday (consumer systemic long term value)			
Inhalative	Derived No Effect Level	6.81 mg/m³ (worker systemic long term value)			
		1.2 mg/m³ (consumer systemic long term value)			
CAS: 5596		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 I-isothiazol-3- one [EC no. 220-239-6] (3:1)			
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)			
Inhalative	Derived No Effect Level	0.02 mg/m³ (worker local long term value)			
		0.02 mg/m³ (consumer local long term value)			
PNECs					
CAS: 2634	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one				
Predicted	Predicted No-Effect Concentration 0.000403 mg/l (sea water rating factor)				
		0.00403 mg/l (fresh water rating factor)			
	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
Predicted	No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)			
Predicted	No-Effect Concentration	0.00339 mg/l (sea water rating factor)			
		0.00339 mg/l (fresh water rating factor)			
CAS N	lo. / Designation of mat	erial / % / Type / Value / Unit			
CAS: 2634	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one				
MAK (Geri	MAK (Germany) vgl.Abschn.IIb und Xc				
CAS: 5596	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
MAK (Germany) Long-term value: 0.2E mg/m³ vgl.Abschn.Xc					

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Provide adequate general ventilation and local process ventilation. Use local exhaust ventilation if necessary.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin. **Respiratory protection:** Not required.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several

(Contd. on page 5)





Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

(Contd. of page 4)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:WhitishOdour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and

boiling range 100 °C (DIN) Flammability Not applicable.

Lower and upper explosion limit

Lower:
Upper:
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not determined.
Decomposition temperature:
Not determined.
Not applicable.

Viscosity:

Kinematic viscosity dynamic:Not determined.
Not determined.

Solubility

Water: Partly soluble
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not determined.

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information None.

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not determined

(Contd. on page 6)



Printing date 28.09.2023 Revision: 03.10.2022 Version number 2 (replaces version 1)

Trade name: weber ready mix glue

(Contd. of page 5) EU-VOC (%) 0.5100 % EU-VOC (g/L) 5.1000 g/l

Change in condition Softening point/range

Oxidising properties Not determined. **Evaporation rate** Not determined.

Information with regard to physical hazard

classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void

SECTION 10: Stability and reactivity

Desensitised explosives

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

Void

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

LD/LC50 values relevant for classification:

(Contd. of page 6)

aqueous dispersion of a copolymer based on styrene and acrylic acid ester Oral LD50 >2,000-10,000 mg/kg (Rat) CAS: 9064-13-5 Poly[oxy(methyl-1,2-ethanediyl)],alpha-(methylphenyl)-omega-hydroxy- Oral LD50 >2,000 mg/kg (Rat) CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 >490 mg/kg (Rat) Dermal LD50 >2,000 mg/kg (Rat) CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) Dermal LD50 660 mg/kg (Rabbit) Inhalative LC50/4 h 2.36 mg/l (Rat)	Compone	nts	/ 1	уре	1	Value	1	Species
CAS: 9064-13-5 Poly[oxy(methyl-1,2-ethanediyl)],alpha-(methylphenyl)-omega-hydroxy- Oral LD50 >2,000 mg/kg (Rat) CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 >490 mg/kg (Rat) Dermal LD50 >2,000 mg/kg (Rat) CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) Dermal LD50 660 mg/kg (Rabbit)	aqueous dispersion of a copolymer based on styrene and acrylic acid ester							
Oral LD50 >2,000 mg/kg (Rat) CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 >490 mg/kg (Rat) Dermal LD50 >2,000 mg/kg (Rat) CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) (Rat) Dermal LD50 660 mg/kg (Rabbit)	Oral	LD50	>2,000-10	,000 n	ng/kg	g (Rat)		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 >490 mg/kg (Rat) Dermal LD50 >2,000 mg/kg (Rat) CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) (Rat) (Bobit) Dermal LD50 660 mg/kg (Rabbit)	CAS: 9064	4-13-5 Pol	y[oxy(metl	hyl-1,2	2-eth	anediyl)	,alpł	pha-(methylphenyl)-omega-hydroxy-
Oral LD50 >490 mg/kg (Rat) Dermal LD50 >2,000 mg/kg (Rat) CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) Dermal LD50 660 mg/kg (Rabbit)	Oral	LD50	>2,000 mg	g/kg (F	Rat)			
Dermal LD50 >2,000 mg/kg (Rat) CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) Dermal LD50 660 mg/kg (Rabbit)	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one							
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) Dermal LD50 660 mg/kg (Rabbit)	Oral	LD50	>490 mg/l	kg (Ra	t)			
and 2-methyl-2H-isothiazol-3- one [ÉC no. 220-239-6] (3:1) Oral LD50 457 mg/kg (Rat) Dermal LD50 660 mg/kg (Rabbit)	Dermal	LD50	>2,000 mg	g/kg (F	Rat)			
Oral LD50 457 mg/kg (Rat) Dermal LD50 660 mg/kg (Rabbit)	CAS: 5596							
Dermal LD50 660 mg/kg (Rabbit)		an	d 2-methy	I-2H-is	sothi	azol-3- c	ne [l	[EC no. 220-239-6] (3:1)
	Oral	LD50	457 mg/kg	g (Rat)				
Inhalative LC50/4 h 2.36 mg/l (Rat)	Dermal	LD50	660 mg/kg	g (Rab	bit)			
3 (2.7)	Inhalative	LC50/4 h	2.36 mg/l	(Rat)				

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test	Type of test / Effective concentration / Method / Assessment			
aqueous dis	aqueous dispersion of a copolymer based on styrene and acrylic acid ester			
LC50/96h	LC50/96h >100 mg/l (Brachydanio rerio (zebra danio))			
CAS: 9064-1	CAS: 9064-13-5 Poly[oxy(methyl-1,2-ethanediyl)],alpha-(methylphenyl)-omega-hydroxy-			
LC50/96h	10-100 mg/l (Brachydanio rerio (zebra danio))			
EC50/72h	2h >100 mg/l (Selenastrum capricornutum (Green algae))			
CAS: 2634-3	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))			
EC50/16h	EC50/16h 0.4 mg/l (Pseudomonas putida (Bacteria))			
EC50/48h	2.9 mg/l (Daphnia magna)			
EC50/72h	0.11 mg/l (Algae)			

(Contd. on page 8)



Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

	(Contd. of page 7)			
	0.067 mg/l (Pseudomonas putida (Bacteria))			
NOEC (72h)	0.0403 mg/l (Algae)			
CAS: 55965-	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
LC50/48h	0.18 mg/l (Daphnia magna)			
LC50/96h	0.282 mg/l (Daphnia magna)			
	0.19-0.3 mg/l (Fish)			
EC50/24h	0.109 mg/l (Daphnia magna)			
	0.0107 mg/l (Algae)			
EC50/48h	0.16 mg/l (Daphnia magna)			
	0.0181-0.0371 mg/l (Algae)			
EC50/72h	0.0063-0.0273 mg/l (Algae)			
NOEC (14d)	0.035 mg/l (Daphnia magna)			
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)			

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB 0.7 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test	Effective concentration	/ Method	/ Assassment

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) 10.3 mg/l (Activated sludge)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) 4.5 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

08 02 99 wastes not otherwise specified

(Contd. on page 9)





Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

(Contd. of page 8)

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings may be recycled.

SECTION 14: Transport informati	on
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 10)





Printing date 28.09.2023 Version number 2 (replaces version 1) Revision: 03.10.2022

Trade name: weber ready mix glue

REGULATION (EU) 2019/1148

(Contd. of page 9)

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eve damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 520

Version number of previous version: 1

(Contd. on page 11)





Revision: 03.10.2022 Printing date 28.09.2023 Version number 2 (replaces version 1)

Trade name: weber ready mix glue

Abbreviations and acronyms:

(Contd. of page 10)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.



This document was created with the Win2PDF "print to PDF" printer available at http://www.win2pdf.com

This version of Win2PDF 10 is for evaluation and non-commercial use only.

This page will not be added after purchasing Win2PDF.

http://www.win2pdf.com/purchase/