

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** webertec 2K foil and joint glue comp b

**Safety data sheet no.:** XXP014088-b

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

**1.4 Emergency telephone number:**

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified according to the CLP regulation.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Additional information:**

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

EUG

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

**Dangerous components:**

|                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                             |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <p>CAS: 2634-33-5<br/>         EINECS: 220-120-9<br/>         Index number: 613-088-00-6<br/>         Reg.nr.: 01-2120761540-60-xxxx</p> | <p>1,2-benzisothiazol-3(2H)-one<br/>  Eye Dam. 1, H318;  Aquatic Acute 1, H400 (M=1);  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317<br/>         Specific concentration limit:<br/>         Skin Sens. 1; H317: C ≥ 0.05 %</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <p>&lt;0.05%</p>            |
| <p>CAS: 55965-84-9<br/>         EC number: 611-341-5<br/>         Index number: 613-167-00-5</p>                                         | <p>reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)<br/>  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330;  Skin Corr. 1C, H314; Eye Dam. 1, H318;  Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100);  Skin Sens. 1A, H317, EUH071<br/>         Specific concentration limits:<br/>         Skin Corr. 1C; H314: C ≥ 0.6 %<br/>         Skin Irrit. 2; H315: 0.06 % ≤ C &lt; 0.6 %<br/>         Eye Dam. 1; H318: C ≥ 0.6 %<br/>         Eye Irrit. 2; H319: 0.06 % ≤ C &lt; 0.6 %<br/>         Skin Sens. 1A; H317: C ≥ 0.0015 %</p> | <p>≥0.00025-&lt;0.0015%</p> |

## SVHC Void

**Additional information** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

## General information

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

**After inhalation** Supply fresh air; consult doctor in case of complaints.

### After skin contact

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated gloves, clothing, footwear or other items and wash thoroughly before re-use.

### After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists. Remove contact lenses, if possible. Continue rinsing

Seek immediate medical advice.

### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 2)

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents**

The product is not combustible.

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**5.3 Advice for firefighters****Protective equipment:** Use methods suitable to surrounding conditions.**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Ensure sufficient ventilation for storage and work areas.

**Information about storage in one common storage facility:** Store away from foodstuffs.**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

(Contd. on page 4)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

Trade name: webertec 2K foil and joint glue comp b

(Contd. of page 3)

7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

| DNELs                                                                                                                                                 |                                                                                     |                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one                                                                                                           |                                                                                     |                                                                                                          |
| Dermal                                                                                                                                                | Derived No Effect Level                                                             | 0.966 mg/kgxday (worker systemic long term value)<br>0.345 mg/kgxday (consumer systemic long term value) |
| Inhalative                                                                                                                                            | Derived No Effect Level                                                             | 6.81 mg/m³ (worker systemic long term value)<br>1.2 mg/m³ (consumer systemic long term value)            |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) |                                                                                     |                                                                                                          |
| Oral                                                                                                                                                  | Derived No Effect Level                                                             | 0.09 mg/kgxday (consumer systemic long term value)                                                       |
| Inhalative                                                                                                                                            | Derived No Effect Level                                                             | 0.02 mg/m³ (worker local long term value)<br>0.02 mg/m³ (consumer local long term value)                 |
| PNECs                                                                                                                                                 |                                                                                     |                                                                                                          |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one                                                                                                           |                                                                                     |                                                                                                          |
| Predicted No-Effect Concentration                                                                                                                     | 0.000403 mg/l (sea water rating factor)<br>0.00403 mg/l (fresh water rating factor) |                                                                                                          |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) |                                                                                     |                                                                                                          |
| Predicted No-Effect Concentration                                                                                                                     | 0.01 mg/kgxdwt (earth rating factor)                                                |                                                                                                          |
| Predicted No-Effect Concentration                                                                                                                     | 0.00339 mg/l (sea water rating factor)<br>0.00339 mg/l (fresh water rating factor)  |                                                                                                          |
| CAS No. / Designation of material / % / Type / Value / Unit                                                                                           |                                                                                     |                                                                                                          |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one                                                                                                           |                                                                                     |                                                                                                          |
| MAK (Germany)                                                                                                                                         | vgl.Abschn.IIb und Xc                                                               |                                                                                                          |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) |                                                                                     |                                                                                                          |
| MAK (Germany)                                                                                                                                         | Long-term value: 0.2E mg/m³<br>vgl.Abschn.Xc                                        |                                                                                                          |

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**
**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 5)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 4)

**Respiratory protection:** Not necessary if room is well-ventilated.

**Hand protection**

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

**Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information**

**Colour:** According to product specification

**Odour:** Uncharacteristic.

**Odour threshold:** Not determined.

**Melting point/freezing point:** Undetermined.

**Boiling point or initial boiling point and boiling range** Undetermined.

**Flammability** Not applicable.

**Lower and upper explosion limit**

**Lower:** Not applicable

**Upper:** Not applicable

**Flash point:** Not applicable

**Auto-ignition temperature:** Not determined.

**Decomposition temperature:** Not determined.

**pH** 6.5 - 7.5

**Viscosity:**

**Kinematic viscosity** Not determined.

**dynamic at 20 °C:** 500 - 2500 mPas

**Solubility**

**Water:** Partly soluble

**Partition coefficient n-octanol/water (log value)** Not determined.

**Vapour pressure:** Not determined.

**Density and/or relative density**

**Density:** Not determined

**Relative density** Not determined.

**Bulk density:** Not applicable.

**Vapour density** Not determined.

**Particle characteristics**

See section 3.

(Contd. on page 6)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 5)

|                                                                                      |                                               |
|--------------------------------------------------------------------------------------|-----------------------------------------------|
| <b>9.2 Other information</b>                                                         | None.                                         |
| <b>Appearance:</b>                                                                   |                                               |
| <b>Form:</b>                                                                         | Dispersion                                    |
| <b>Important information on protection of health and environment, and on safety.</b> |                                               |
| <b>Ignition temperature:</b>                                                         | Product is not self-igniting.                 |
| <b>Explosive properties:</b>                                                         | Product does not present an explosion hazard. |
| <b>Minimum ignition energy</b>                                                       |                                               |
| <b>Solvent separation test:</b>                                                      | Not determined                                |
| <b>EU-VOC (%)</b>                                                                    | 0.0000 %                                      |
| <b>EU-VOC (g/L)</b>                                                                  | 0.0000 g/l                                    |
| <b>Change in condition</b>                                                           |                                               |
| <b>Softening point/range</b>                                                         |                                               |
| <b>Oxidising properties</b>                                                          | Not determined.                               |
| <b>Evaporation rate</b>                                                              | Not determined.                               |

### Information with regard to physical hazard classes

|                                                                                  |      |
|----------------------------------------------------------------------------------|------|
| <b>Explosives</b>                                                                | Void |
| <b>Flammable gases</b>                                                           | Void |
| <b>Aerosols</b>                                                                  | Void |
| <b>Oxidising gases</b>                                                           | Void |
| <b>Gases under pressure</b>                                                      | Void |
| <b>Flammable liquids</b>                                                         | Void |
| <b>Flammable solids</b>                                                          | Void |
| <b>Self-reactive substances and mixtures</b>                                     | Void |
| <b>Pyrophoric liquids</b>                                                        | Void |
| <b>Pyrophoric solids</b>                                                         | Void |
| <b>Self-heating substances and mixtures</b>                                      | Void |
| <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| <b>Oxidising liquids</b>                                                         | Void |
| <b>Oxidising solids</b>                                                          | Void |
| <b>Organic peroxides</b>                                                         | Void |
| <b>Corrosive to metals</b>                                                       | Void |
| <b>Desensitised explosives</b>                                                   | Void |

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** Avoid heat, sparkles, naked flame or other sources of ignition.

**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 7)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 6)

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

| Components                                                                                                                                                   | Type     | Value        | Species  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------|----------|
| <b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>                                                                                                           |          |              |          |
| Oral                                                                                                                                                         | LD50     | >490 mg/kg   | (Rat)    |
| Dermal                                                                                                                                                       | LD50     | >2,000 mg/kg | (Rat)    |
| <b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b> |          |              |          |
| Oral                                                                                                                                                         | LD50     | 457 mg/kg    | (Rat)    |
| Dermal                                                                                                                                                       | LD50     | 660 mg/kg    | (Rabbit) |
| Inhalative                                                                                                                                                   | LC50/4 h | 2.36 mg/l    | (Rat)    |

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

##### Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** Not classified as harmful to aquatic life

| Type of test / Effective concentration / Method / Assessment |                                                |
|--------------------------------------------------------------|------------------------------------------------|
| <b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>           |                                                |
| LC50/96h                                                     | 2.2 mg/l (Oncorhynchus mykiss (Rainbow trout)) |
| EC50/16h                                                     | 0.4 mg/l (Pseudomonas putida (Bacteria))       |
| EC50/48h                                                     | 2.9 mg/l (Daphnia magna)                       |
| EC50/72h                                                     | 0.11 mg/l (Algae)                              |
|                                                              | 0.067 mg/l (Pseudomonas putida (Bacteria))     |
| NOEC (72h)                                                   | 0.0403 mg/l (Algae)                            |

(Contd. on page 8)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 7)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

|            |                                 |
|------------|---------------------------------|
| LC50/48h   | 0.18 mg/l (Daphnia magna)       |
| LC50/96h   | 0.282 mg/l (Daphnia magna)      |
|            | 0.19-0.3 mg/l (Fish)            |
| EC50/24h   | 0.109 mg/l (Daphnia magna)      |
|            | 0.0107 mg/l (Algae)             |
| EC50/48h   | 0.16 mg/l (Daphnia magna)       |
|            | 0.0181-0.0371 mg/l (Algae)      |
| EC50/72h   | 0.0063-0.0273 mg/l (Algae)      |
| NOEC (14d) | 0.035 mg/l (Daphnia magna)      |
| NOEC (21d) | 0.011-1.05 mg/l (Daphnia magna) |

**12.2 Persistence and degradability** No further relevant information available.

### 12.3 Bioaccumulative potential

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EBAB 0.7 log Pow

**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

### 12.7 Other adverse effects

### Behaviour in sewage processing plants:

#### Type of test / Effective concentration / Method / Assessment

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EC 50 (3h) 10.3 mg/l (Activated sludge)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

EC 50 (3h) 4.5 mg/l (Activated sludge)

### Additional ecological information:

**General notes:** Do not allow product to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### European waste catalogue

06 13 99 wastes not otherwise specified

(Contd. on page 9)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 8)

**Uncleaned packaging:**

**Recommendation:**

Disposal must be made according to official regulations.

Non contaminated packagings may be recycled.

### SECTION 14: Transport information

**14.1 UN number or ID number**

ADR, ADN, IMDG, IATA

Void

**14.2 UN proper shipping name**

ADR, ADN, IMDG, IATA

Void

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA

Class

Void

**14.4 Packing group**

ADR, IMDG, IATA

Void

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to**

IMO instruments

Not applicable.

**Transport/Additional information:**

Not dangerous according to the above specifications.

**UN "Model Regulation":**

Void

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Directive 2004/42/EC (VOC), cf. section 9

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 10)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 9)

### REGULATION (EU) 2019/1148

#### Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

#### Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

### Department issuing SDS:

Saint-Gobain Finland Oy / Weber  
QEHS  
P.O.Box 70 (Strömberginkuja 2)  
FI-00381 Helsinki

### Contact:

Tel. +358-(0)10-44 22 00  
Fax +358-(0)10-44 22 520

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 11)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2023

Version number 1

Revision: 29.12.2021

**Trade name: webertec 2K foil and joint glue comp b**

(Contd. of page 10)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG



This document was created with the Win2PDF "print to PDF" printer available at  
<http://www.win2pdf.com>

This version of Win2PDF 10 is for evaluation and non-commercial use only.

This page will not be added after purchasing Win2PDF.

<http://www.win2pdf.com/purchase/>