Revision: 05.02.2024



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: weber.tec Superflex D 2 Komp.B

Safety data sheet no.: 49PD20279-b

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

cement portland, grey

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

(Contd. of page 1)



P101

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

Precautionary statements

If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Ready-mixed mortar with Portland cement Ready-mixed mortar with high alumina cement.

Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	10-20%
CAS: 10034-76-1 EC number: 600-067-1 Reg.nr.: 01-2119444918-26-xxxx	calcium sulfate hemihydrate substance with a Community workplace exposure limit	5-10%
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %	2-5%
CAS: 7727-43-7 EINECS: 231-784-4 Reg.nr.: 01-2119491274-35-xxxx	barium sulfate substance with a Community workplace exposure limit	1-2%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide Carc. 2, H351	≥0.1-<1%

SVHC Void

(Contd. on page 3)



Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 2)

Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid formation of dust.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- **6.4 Reference to other sections** See Section 13 for disposal information.

FHC





Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

nhalative	Derived No Effect Level	2.5 mg/m³ (worker systemic long term value)		
		5 mg/m³ (worker systemic short term value)		
CAS: 1003	34-76-1 calcium sulfate l	hemihydrate		
Oral	Derived No Effect Level	1.52 mg/kgxday (consumer systemic long term value)		
		11.4 mg/kgxday (consumer systemic short term value)		
Inhalative	Derived No Effect Level	21.17 mg/m³ (worker systemic long term value)		
	5,082 mg/m³ (worker systemic short term value)			
5.29 mg/m³ (consumer systemic long term value) 3,811 mg/m³ (consumer systemic short term value)				
Oral	Derived No Effect Level	13,000 mg/kgxday (consumer systemic long term value)		
Inhalative	Derived No Effect Level	10 mg/m³ (worker systemic long term value)		
		10 mg/m³ (consumer systemic long term value)		
CAS: 1340	63-67-7 titanium dioxide			
Inhalative	Derived No Effect Level	1.25 mg/m³ (worker local long term value)		
		0.21 mg/m³ (consumer local long term value)		
		·		
PNECs				
	97-16-2 Cement, alumina	a, chemicals		

(Contd. on page 5)



Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

CAS: 7727-43-7 barium sulfate Predicted No-Effect Concentration 207.7 mg/kgxdwt (earth rating factor) Predicted No-Effect Concentration 0.115 mg/l (fresh water rating factor) CAS No. / Designation of material / % / Type / Value / Unit CAS: 14808-60-7 Silicon dioxide (Quartz sand) BOELV (European Union) Long-term value: 0.1* mg/m³	(Contd. of p
Predicted No-Effect Concentration 0.115 mg/l (fresh water rating factor) CAS No. / Designation of material / % / Type / Value / Unit CAS: 14808-60-7 Silicon dioxide (Quartz sand) BOELV (European Union) Long-term value: 0.1* mg/m³	
CAS No. / Designation of material / % / Type / Value / Unit CAS: 14808-60-7 Silicon dioxide (Quartz sand) BOELV (European Union) Long-term value: 0.1* mg/m³	
CAS: 14808-60-7 Silicon dioxide (Quartz sand) BOELV (European Union) Long-term value: 0.1* mg/m³	
BOELV (European Union) Long-term value: 0.1* mg/m³ *respirable fraction ANAK (Germany) GV (Denmark) Short-term value: 0.6* 0.2** mg/m³ Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel: K LEP (Spain) Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y Long-term value: 0.025 mg/m³ A2, (j) VLE (Portugal) Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão OEL (Sweden) Long-term value: 0.1 mg/m³ C, M, respirabel fraktion HTP (Finland) Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt Illb*einatembar: Abschn.Vf// Long-term value: 10 mg/m³ e Ung-term value: 10 mg/m³ Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) Long-term value: 5 E mg/m³ DFG Long-term value: 4 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal)	
respirable fraction alveolengängige Fraktion GV (Denmark) Short-term value: 0.6 0.2** mg/m³ Long-term value: 0.3* 0.1** mg/m³ *total:,**total:, respirabel: K LEP (Spain) Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y Long-term value: 0.025 mg/m³ A2, (j) VLE (Portugal) Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão OEL (Sweden) Long-term value: 0.1 mg/m³ C, M, respirabel fraktion HTP (Finland) Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt Illb*einatembar: Abschn.Vf)/ LEP (Spain) Long-term value: 10 mg/m³ e VLE (Portugal) CAS: 1318-02-1 Zeolite MAK (Germany) Synthetisch, nicht faserförmig, Abschn. Ilb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
Short-term value: 0.6* 0.2** mg/m³ Long-term value: 0.3* 0.1** mg/m³ *total; **total; respirabel: K LEP (Spain) Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y TWA (Italy) VLE (Portugal) CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) VLE (Portugal) Long-term value: 0.05 0.1* mg/m³ alveolijae; *sitovat raja-arvot, pöly CAS: 1318-02-1 Zeolite MAK (Germany) Synthetisch, nicht faserförmig, Abschn. Ilb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ fracción respirable: 1 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ fracción respirable: 1 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ Long-term value: 1 mg/m³	
Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel: K Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y Long-term value: 0.025 mg/m³ A2, (j) VLE (Portugal) Cong-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão OEL (Sweden) Long-term value: 0.1 mg/m³ C, M, respirabel fraktion Long-term value: 0.05 0.1* mg/m³ alveolijae; *sitovat raja-arvot, pöly CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt IIIb*einatembar: Abschn.Vf)/ LEP (Spain) VLE (Portugal) VLE (Portugal) Synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 4 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
*Fracción resp:n,d,y Long-term value: 0.025 mg/m³ A2, (j) VLE (Portugal) COEL (Sweden) COEL (
A2, (j) VLE (Portugal) Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão OEL (Sweden) Long-term value: 0.1 mg/m³ C, M, respirabel fraktion Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt Illb*einatembar: Abschn.Vf)/ LEP (Spain) VLE (Portugal) Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) Synthetisch, nicht faserförmig, Abschn. Ilb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG Lep (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
Resp.;A2; fibrose pulmonar; cancro do pulmão Long-term value: 0.1 mg/m³ C, M, respirabel fraktion Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt IIIb*einatembar: Abschn.Vf)/ LEP (Spain) Long-term value: 10 mg/m³ e Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) Synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG Lep (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
C, M, respirabel fraktion Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt IIIb*einatembar: Abschn.Vf)/ LEP (Spain) Long-term value: 10 mg/m³ e VLE (Portugal) Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) Synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG LEP (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
alveolijae;*sitovat raja-arvot, pöly CAS: 10034-76-1 calcium sulfate hemihydrate MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt IIIb*einatembar: Abschn.Vf)/ LEP (Spain) VLE (Portugal) Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) Synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG LEP (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) VLE (Portugal) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal)	
MAK (Germany) Long-term value: 4E* mg/m³ alveoleng.: Abschnitt IIIb*einatembar: Abschn.Vf)/ LEP (Spain) Long-term value: 10 mg/m³ e VLE (Portugal) Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) Synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG Lep (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
alveoleng.: Abschnitt IIIb*einatembar: Abschn.Vf)/ LEP (Spain) VLE (Portugal) CAS: 1318-02-1 Zeolite MAK (Germany) CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG Long-term value: 4 mg/m³ fracción respirable: e, d Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³ VLE (Portugal)	
VLE (Portugal) e Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG LEP (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
Fração inalável; Sintomas nasais CAS: 1318-02-1 Zeolite MAK (Germany) synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG LEP (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
MAK (Germany) synthetisch, nicht faserförmig, Abschn. IIb CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG Lep (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
AGW (Germany) Long-term value: 5 E mg/m³ DFG Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
LEP (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
(e, j), A4 VLE (Portugal) Long-term value: 1 mg/m³	
∣ i iagao iesp.,∧+,iungao punn.,sintomas iesp.,asina	
HTP (Finland) Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae	



Printing date 28.03.2024 Revision: 05.02.2024 Version number 4 (replaces version 3)

Trade name: weber.tec Superflex D 2 Komp.B

		(Contd. of page 5)
CAS: 7727-43-7 barium s	ulfate	
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y	
LEP (Spain)	Long-term value: 10 mg/m³ e	
TWA (Italy)	Long-term value: 10 mg/m³	
VLE (Portugal)	Long-term value: 5 mg/m³ Fração inalável; Pneumoconiose	
CAS: 13463-67-7 titanium	n dioxide	
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y	
GV (Denmark)	Short-term value: 12 mg/m³ Long-term value: 6 mg/m³ K, som Ti	
LEP (Spain)	Long-term value: 10 mg/m³	
TWA (Italy)	Long-term value: 10 mg/m³ A4	
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI	
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm	

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

(Contd. on page 7)



Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

Recommended thickness of the material: ≥ 0.4 mm

(Contd. of page 6)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Breakthrough time: > 480 min Value for the permeation: Level ≤ 6

Eye/face protection Tightly sealed goggles **Body protection**: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range Not determined

Flammability Product is not flammable.

Lower and upper explosion limit

Lower:
Upper:
Not determined.
Flash point:
Not applicable
Auto-ignition temperature:
Not determined.
Not determined.
Not determined.
Not determined.
Pecomposition temperature:
pH at 20 °C
Not determined.
>12.0 (DIN 19261)

In water

Viscosity:

Kinematic viscosity dynamic:Not applicable.
Not applicable.

Solubility

Water at 20 °C: 1.5 g/l

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure:

Not applicable.

Density and/or relative density

Density: Not applicable.

Bulk density at 20 °C: 790 kg/m³

Vapour density Not applicable.

Particle characteristics

See section 3.

9.2 Other information None.

(Contd. on page 8)



Printing date 28.03.2024 Revision: 05.02.2024 Version number 4 (replaces version 3)

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 7)

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Void

Void

Minimum ignition energy

Solvent content:

Organic solvents: 0.0 % EU-VOC (%) 0.0000 % EU-VOC (g/L) 0.0000 g/l Solids content: 100.0 %

Change in condition Softening point/range

Oxidising properties Not determined. **Evaporation rate** Not applicable.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Corrosive to metals

Desensitised explosives

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Risk of dust explosion if enriched with fine dust in the presence of air.

Reacts with acids

(Contd. on page 9)



Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 8)

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Componer	nts	/ Туре	/ V	alue	1	Species
CAS: 65997-16-2 Cement, alumina, chemicals						
Oral	LD50	>2,000 mg/kg (Ra	ıt)			
Dermal	LD50	>2,000 mg/kg (Ra	ıt)			
CAS: 1003	4-76-1 ca	cium sulfate hem	nihydra	te		
Oral	LD50	>2,000 mg/kg (Ra	ıt)			
Dermal	LD50	mg/kg (Rat)				
CAS: 1318	3-02-1 Zeo	lite				
Oral	LD50	>5,000 mg/kg (Ra	ıt)			
Dermal	LD50	>2,000 mg/kg (Ra	ıbbit)			
CAS: 65997-15-1 cement portland, grey						
Dermal	LD50	>2,000 mg/kg (Ra	ıbbit)			
CAS: 7727-43-7 barium sulfate						
Oral	LD50	>5,000 mg/kg (Ra	ıt)			
CAS: 13463-67-7 titanium dioxide						
Oral	LD50	>5,000 mg/kg (Ra	ıt)			
Inhalative	LC50/4 h	>6.8 mg/l (Rat)				

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

FHC





Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 9)

12.1 Toxicity Aquatic toxi	y city: No further relevant information available.
-	/ Effective concentration / Method / Assessment
<u> </u>	16-2 Cement, alumina, chemicals
_C50/96h	100 mg/l (Fish)
EC50/24h	6.4 mg/l (aquatic invertebrates)
EC50/48h	5.4 mg/l (aquatic invertebrates)
EC50/72h	3.6 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	2.6 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	3.4 mg/l (aquatic invertebrates)
CAS: 10034-	76-1 calcium sulfate hemihydrate
_C50/48h	>79 mg/l (Daphnia magna)
_C50/96h	>79 mg/l (Fish)
EC50/48h	>79 mg/l (Daphnia magna)
EC50/72h	>79 mg/l (Selenastrum capricornutum (Green algae))
CAS: 1318-0	2-1 Zeolite
_C0/96h	>780 mg/l (aquatic invertebrates)
	680-780 mg/l (Fish)
EC50/16h	950-1,550 mg/l (microorganisms)
EC50/24h	2,808 mg/l (aquatic invertebrates)
EC50/48h	>1,000 mg/l (aquatic invertebrates)
EC50/72h	>1,000 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	>1,000 mg/l (aquatic algae and cyanobacteria)
, ,	250-1,250 mg/l (aquatic invertebrates)
NOEC (21d)	>130 mg/l (aquatic invertebrates)
EC 10/16h	330 mg/l (microorganisms)
	3-7 barium sulfate
_C50/48h	14.5 mg/l (aquatic invertebrates)
_C50/96h	3.5-174 mg/l (Fish)
EC50/48h	58.8 mg/l (aquatic invertebrates)
EC50/72h	1.15-113 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	
` ,	58.8 mg/l (aquatic invertebrates)
	67-7 titanium dioxide
C50/72h	1 mg/l (Fish)
_C50/48h	>100 mg/l (aquatic invertebrates)
_C50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)



Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 10)

	(Conta. or page 10)
NOEC (72h)	≥10 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	≥1 mg/l (aquatic plants other than algae)
NOEC (21d)	≥100 mg/l (aquatic invertebrates)
NOEC (28d)	≥100 mg/l (aquatic invertebrates)
	≥0.07 mg/l (Fish)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.vPvB: Does not contain vPvB substances.12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Behaviour in sewage processing plants:

Type of test	/ Effective concentration / Method / Assessment		
CAS: 65997-	-16-2 Cement, alumina, chemicals		
EC 50 (3h) 1	1,000 mg/l (microorganisms)		
CAS: 10034-	CAS: 10034-76-1 calcium sulfate hemihydrate		
EC 50 (3h) 1	1,000 mg/l (Activated sludge)		
CAS: 7727-4	3-7 barium sulfate		
EC 50 (3h) 6	622-1,000 mg/l (microorganisms)		
CAS: 13463-	-67-7 titanium dioxide		
EC 50 (3h) 1	1,000 mg/l (microorganisms)		

Remark: The product causes a significant pH change. Neutralise before introduction.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

After hardening, the product can be treated together with construction waste, in accordance with national and/or local regulations. Possible waste code 17 09 04.

	European waste catalogue				
		wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10			
Ī	10 13 14	waste concrete and concrete sludge			

(Contd. on page 12)





Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 11)

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

SECTION 14: Transport informati	on
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Under the conditions of conservation, the reducing agent used keeps the content of soluble chromium (VI) below 2 ppm until the expiration date indicated.

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII Entry no. 47 Chromium VI compounds)

(Contd. on page 13)



Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

Conditions of restriction: 47

(Contd. of page 12)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

EUH203 Contains chromium (VI). May produce an allergic reaction.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Expert judgement

Department issuing SDS:

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 520

(Contd. on page 14)





Printing date 28.03.2024 Version number 4 (replaces version 3) Revision: 05.02.2024

Trade name: weber.tec Superflex D 2 Komp.B

(Contd. of page 13)

Version number of previous version: 3 Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG