

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Pieri Graffistop SP Aqua**

Safety data sheet no.: 358P1127

1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is intended for industrial or professional use.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

octhiline (ISO);2-octyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

EUG

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 1)

P273 Avoid release to the environment.
 P280 Wear protective gloves.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.

Additional information:

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: bronopol (INN), oclothilone (ISO); 2-octyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

2.3 Other hazards
Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Additive

Dangerous components:

CAS: 68439-49-6 NLP: 500-212-8	Alcohols, C16-18, ethoxylated ⚠ Eye Irrit. 2, H319	1-2%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:C ≥ 0.05 %	<0.05%
CAS: 52-51-7 EINECS: 200-143-0 Index number: 603-085-00-8 Reg.nr.: 01-2119980938-15-xxxx	bronopol (INN) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<0.025%

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 2)

<p>CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45-xxxx</p>	<p>octhiline (ISO);2-octyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; ⚠ Acute Tox. 2, H330; ⚠ Skin Corr. 1, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %</p>	<p>≥0.0025-<0.025%</p>
<p>CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5</p>	<p>reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; ⚠ Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %</p>	<p>≥0.0025-<0.025%</p>

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EUG

(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 3)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Foam

Carbon dioxide

Fire-extinguishing powder

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not drink or eat while working. Wash hands thoroughly before breaks and after finishing work.

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Store in cool, dry place in tightly closed receptacles.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

EUG

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value) 0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m ³ (worker systemic long term value) 1.2 mg/m ³ (consumer systemic long term value)
CAS: 52-51-7 bronopol (INN)		
Oral	Derived No Effect Level	0.18 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	2 mg/kgxday (worker systemic long term value) 0.7 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	3.5 mg/m ³ (worker systemic long term value) 0.6 mg/m ³ (consumer systemic long term value)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m ³ (worker local long term value) 0.02 mg/m ³ (consumer local long term value)
PNECs		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
Predicted No-Effect Concentration		3 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor)
CAS: 52-51-7 bronopol (INN)		
Predicted No-Effect Concentration		0.21 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00052 mg/l (sea water rating factor) 0.00125 mg/l (fresh water rating factor)
CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one		
Predicted No-Effect Concentration		0.0082 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00022 mg/l (sea water rating factor) 0.0022 mg/l (fresh water rating factor)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
Predicted No-Effect Concentration		0.01 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)
CAS No. / Designation of material / % / Type / Value / Unit		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
MAK (Germany)	vgl.Abschn.IIb und Xc	

(Contd. on page 6)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 5)

CAS: 52-51-7 bronopol (INN)	
MAK (Germany)	vgl.Abschn.IIb und Xc
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	
MAK (Germany)	Long-term value: 0.2E mg/m ³ vgl.Abschn.Xc

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves against chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

The hands must be cleaned from the powder before putting on the gloves.

Check protective gloves prior to each use for their proper condition.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Fluid

Colour:

White

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

100 °C (DIN)

Flammability

Not applicable.

Lower and upper explosion limit

Lower:

Not determined.

Upper:

Not determined.

Flash point:

>250 °C (DIN ISO 2592)

Auto-ignition temperature:

Not determined.

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 6)

Decomposition temperature:	Not determined.
pH at 20 °C	7
Viscosity:	
Kinematic viscosity at 20 °C	3.5 mm ² /s (DIN ISO 2431)
	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1 g/cm ³ (DIN 51757)
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not determined
EU-VOC (%)	0.0300 %
EU-VOC (g/L)	0.0000 g/l
Solids content:	0.0 %
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void

(Contd. on page 8)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 7)

Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide

Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
Oral	LD50	>490 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 52-51-7 bronopol (INN)			
Oral	LD50	193 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one			
Oral	LD50	125 mg/kg	(ATE)
Dermal	LD50	311 mg/kg	(ATE)
Inhalative	LC50/4 h	0.27 mg/l	(ATE)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
Oral	LD50	457 mg/kg	(Rat)
Dermal	LD50	660 mg/kg	(Rabbit)
Inhalative	LC50/4 h	2.36 mg/l	(Rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 8)

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects (H412).

Type of test / Effective concentration / Method / Assessment

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50/96h	2.2 mg/l (Fish)
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	2.9 mg/l (aquatic invertebrates)
EC50/72h	0.11 mg/l (aquatic algae and cyanobacteria)
	0.067 mg/l (Pseudomonas putida (Bacteria))
NOEC (72h)	0.0403 mg/l (aquatic algae and cyanobacteria)

CAS: 52-51-7 bronopol (INN)

LC50/96h	11 mg/l (Fish)
EC50/48h	1.4 mg/l (aquatic invertebrates)
EC50/72h	0.0265-0.178 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	0.052 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	20 mg/l (Fish)
NOEC (21d)	0.27 mg/l (aquatic invertebrates)
NOEC (28d)	2.61 mg/l (Fish)
EC 0/48h	0.56 mg/l (aquatic invertebrates)

CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one

LC50/48h	0.181 mg/l (aquatic invertebrates)
LC50/96h	0.122 mg/l (Fish)
EC50/96h	0.15 mg/l (aquatic algae and cyanobacteria)
EC 10	0.068 mg/l (aquatic algae and cyanobacteria)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (aquatic algae and cyanobacteria)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (aquatic algae and cyanobacteria)
EC50/96h	0.0357 mg/l (aquatic algae and cyanobacteria)
EC50/72h	0.0063-0.0273 mg/l (aquatic algae and cyanobacteria)

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 9)

NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)
NOEC (28d)	0.098 mg/l (Fish)

12.2 Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Components:

CAS: 52-51-7 bronopol (INN)

DT50-value (Degradation Half Time)	12.1 day (Biodegradation)
------------------------------------	---------------------------

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB	0.7 log Pow
------	-------------

CAS: 52-51-7 bronopol (INN)

EBAB	0.15 log Pow
------	--------------

CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one

EBAB	2.61 log Pow (Bioaccumulation)
------	--------------------------------

Bioaccumulation Factor (BCF)	19.21
------------------------------	-------

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EBAB	0.75 log Pow
------	--------------

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h)	10.3 mg/l (microorganisms)
------------	----------------------------

CAS: 52-51-7 bronopol (INN)

EC 50 (3h)	43 mg/l (microorganisms)
------------	--------------------------

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h)	4.5 mg/l (microorganisms)
------------	---------------------------

Additional ecological information:

General notes:

Harmful to aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

EUG

(Contd. on page 11)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 10)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

European waste catalogue

16 03 05*	organic wastes containing hazardous substances
HP14	Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 12)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 11)

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

Department issuing SDS:

Saint-Gobain Finland Oy / Weber
 QEHS
 P.O.Box 70 (Strömberginkuja 2)
 FI-00381 Helsinki

(Contd. on page 13)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2024

Version number 1

Revision: 28.03.2024

Trade name: Pieri Graffistop SP Aqua

(Contd. of page 12)

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EUG