

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: weber MTL Wet room render

Safety data sheet no.: 358P0263

UFI: 91UC-XW9D-AD9T-7AF7

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

**1.4 Emergency telephone number:**

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS05 GHS07

**Signal word** Danger

**Hazard-determining components of labelling:**

cement portland, grey

calcium dihydroxide

Burnt Oil Shale (BOS)

**Hazard statements**

H315 Causes skin irritation.

(Contd. on page 2)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 1)

H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

**Precautionary statements**

P102 Keep out of reach of children.  
P261 Avoid breathing dust.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment (See section 8).

Under the conditions of conservation, the reducing agent used keeps the content of soluble chromium (VI) below 2 ppm until the expiration date indicated.

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.  
**vPvB:** Does not contain vPvB substances.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Ready-mixed mortar with Portland cement

**Dangerous components:**

|  |  |        |
|--|--|--------|
| CAS: 14808-60-7<br>EINECS: 238-878-4                                   | Silicon dioxide (Quartz sand)<br>substance with a Community workplace exposure limit   | 50-75% |
| CAS: 471-34-1<br>EINECS: 207-439-9<br>Reg.nr.: 01-2119486795-18-xxxx   | Calcium carbonate<br>substance with a Community workplace exposure limit   | 10-25% |
| CAS: 65997-15-1<br>EINECS: 266-043-4                                   | cement portland, grey<br>☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203<br>Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 %<br>Eye Dam. 1; H318: C ≥ 1 %<br>substance with a Community workplace exposure limit | 10-20% |
| CAS: 1305-62-0<br>EINECS: 215-137-3<br>Reg.nr.: 01-2119475151-45-xxxx  | calcium dihydroxide<br>☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335<br>substance with a Community workplace exposure limit   | 1-2%   |
| CAS: 93685-99-5<br>EINECS: 297-648-1<br>Reg.nr.: 01-2119703178-42-xxxx | Burnt Oil Shale (BOS)<br>☠ Eye Dam. 1, H318; ☠ STOT SE 3, H335   | 1-2%   |
| CAS: 7778-18-9<br>EINECS: 231-900-3<br>Reg.nr.: 01-2119444918-26-xxxx  | calcium sulphate, natural<br>substance with a Community workplace exposure limit   | 0.1-1% |

(Contd. on page 3)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 2)

**SVHC** Void**Additional information**

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard statements refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

**After inhalation** Supply fresh air and to be sure call for a doctor.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**4.2 Most important symptoms and effects, both acute and delayed**

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

The product is not combustible.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** Use methods suitable to surrounding conditions.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust.

Ensure adequate ventilation.

Avoid contact with skin and eyes.

**6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

**6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

(Contd. on page 4)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 3)

See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Prevent formation of dust.  
 Provide suction extractors if dust is formed.  
 Avoid contact with skin and eyes.  
 Keep receptacles tightly sealed.  
 Apply the product according to the instructions for use.  
 Products must be stored in their original packaging, protected from the effects of weather and soil moisture.  
 Packaging must remain undamaged to prevent the product from leaking into the environment.  
 When opening the packaging, avoid spillage of the product.  
 Collect water from cleaning of tools or other equipment for reuse or disposal according to local regulations. Do not dispose cleaning water into the environment or stormwater drains.  
**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** Store in dry conditions.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

| DNELs   |                         |  |
|---|-------------------------|--|
| <b>CAS: 471-34-1 Calcium carbonate</b>          |                         |  |
| Oral  | Derived No Effect Level | 6.1 mg/kgxday (consumer systemic long term value)  |
| Inhalative                                      | Derived No Effect Level | 6.36 mg/m <sup>3</sup> (worker local long term value)<br>1.06 mg/m <sup>3</sup> (consumer local long term value)   |
| <b>CAS: 1305-62-0 calcium dihydroxide</b>       |                         |  |
| Inhalative                                      | Derived No Effect Level | 4 mg/m <sup>3</sup> (worker local short term value)<br>1 mg/m <sup>3</sup> (worker local long term value)<br>1 mg/m <sup>3</sup> (consumer local long term value)<br>4 mg/m <sup>3</sup> (consumer local short term value) |
| <b>CAS: 93685-99-5 Burnt Oil Shale (BOS)</b>    |                         |  |
| Inhalative                                      | Derived No Effect Level | 0.233 mg/m <sup>3</sup> (worker local long term value)<br>0.233 mg/m <sup>3</sup> (consumer local short term value)  |
| <b>CAS: 7778-18-9 calcium sulphate, natural</b> |                         |  |
| Oral  | Derived No Effect Level | 1.52 mg/kgxday (consumer systemic long term value)   |

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 4)

|            |                         |  |
|------------|-------------------------|--|
| Inhalative | Derived No Effect Level | 11.4 mg/kgxday (consumer systemic short term value)<br>21.17 mg/m <sup>3</sup> (worker systemic long term value)<br>5,082 mg/m <sup>3</sup> (worker systemic short term value)<br>5.29 mg/m <sup>3</sup> (consumer systemic long term value)<br>3,811 mg/m <sup>3</sup> (consumer systemic short term value) |
|------------|-------------------------|--|

**PNECs****CAS: 1305-62-0 calcium dihydroxide**

|                                   |                                       |
|-----------------------------------|---------------------------------------|
| Predicted No-Effect Concentration | 1,080 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | 0.32 mg/l (sea water rating factor)   |
|                                   | 0.49 mg/l (fresh water rating factor) |

**CAS No. / Designation of material / % / Type / Value / Unit****CAS: 14808-60-7 Silicon dioxide (Quartz sand)**

|                        |  |
|------------------------|--|
| BOELV (European Union) | Long-term value: 0.1* mg/m <sup>3</sup><br>*respirable fraction  |
| MAK (Germany)          | alveolengängige Fraktion   |
| GV (Denmark)           | Short-term value: 0.6* 0.2** mg/m <sup>3</sup><br>Long-term value: 0.3* 0.1** mg/m <sup>3</sup><br>*total; **total, respirabel: EK |
| LEP (Spain)            | Long-term value: 0.05 mg/m <sup>3</sup><br>*Fracción resp:n,d,y  |
| TWA (Italy)            | Long-term value: 0.025 mg/m <sup>3</sup><br>A2, (j)  |
| VLE (Portugal)         | Long-term value: 0.025 mg/m <sup>3</sup><br>Resp.;A2; fibrose pulmonar; cancro do pulmão   |
| OEL (Sweden)           | Long-term value: 0.1 mg/m <sup>3</sup><br>C, M, respirabel fraktion  |
| HTP (Finland)          | Long-term value: 0.05 0.1* mg/m <sup>3</sup><br>alveolijae;*sitova arvo 113/24, pöly   |

**CAS: 471-34-1 Calcium carbonate**

|                |  |
|----------------|--|
| LEP (Spain)    | Long-term value: 10 mg/m <sup>3</sup>                  |
| TWA (Italy)    | Long-term value: (10) mg/m <sup>3</sup><br>(e)         |
| VLE (Portugal) | Long-term value: (10) mg/m <sup>3</sup><br>(Irritação) |

**CAS: 65997-15-1 cement portland, grey**

|                |  |
|----------------|--|
| AGW (Germany)  | Long-term value: 5 E mg/m <sup>3</sup><br>DFG  |
| LEP (Spain)    | Long-term value: 4 mg/m <sup>3</sup><br>fracción respirable: e, d                        |
| TWA (Italy)    | Long-term value: 1 mg/m <sup>3</sup><br>(e, j), A4                                       |
| VLE (Portugal) | Long-term value: 1 mg/m <sup>3</sup><br>Fração resp.;A4,função pulm.,sintomas resp.,asma |

(Contd. on page 6)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 5)

|   |   |
|---|---|
| HTP (Finland)                                   | Long-term value: 5* 1** mg/m <sup>3</sup><br>*hengittyvä pöly, **alveolijae                                     |
| <b>CAS: 1305-62-0 calcium dihydroxide</b>       |   |
| IOELV (European Union)                          | Short-term value: 4 mg/m <sup>3</sup><br>Long-term value: 1 mg/m <sup>3</sup><br>Respirable fraction            |
| AGW (Germany)                                   | Long-term value: 1E mg/m <sup>3</sup><br>2(l);Y, EU, DFG  |
| GV (Denmark)                                    | Short-term value: 10 4* mg/m <sup>3</sup><br>Long-term value: 5 1* mg/m <sup>3</sup><br>E; *respirabel fraktion |
| LEP (Spain)                                     | Long-term value: 4 mg/m <sup>3</sup> , 1 ppm<br>fracción resp., VLI, d  |
| TWA (Italy)                                     | Long-term value: 5 mg/m <sup>3</sup>  |
| VL (Italy)                                      | Short-term value: 4* mg/m <sup>3</sup><br>Long-term value: 1* mg/m <sup>3</sup><br>*frazione respirabile        |
| VLE (Portugal)                                  | Long-term value: 5 mg/m <sup>3</sup><br>Irritação ocular, do TRS, cutânea                                       |
| OEL (Sweden)                                    | Short-term value: 4 mg/m <sup>3</sup><br>Long-term value: 1 mg/m <sup>3</sup>                                   |
| HTP (Finland)                                   | Short-term value: 4 mg/m <sup>3</sup><br>Long-term value: 1 mg/m <sup>3</sup>                                   |
| <b>CAS: 7778-18-9 calcium sulphate, natural</b> |   |
| MAK (Germany)                                   | Long-term value: 4E** mg/m <sup>3</sup><br>alveoleng.: Abschn.IIb.*einatembar:Abschn.Vf)/g)                     |
| LEP (Spain)                                     | Long-term value: 10 mg/m <sup>3</sup><br>e  |
| TWA (Italy)                                     | Long-term value: 10 mg/m <sup>3</sup><br>(i)  |
| VLE (Portugal)                                  | Long-term value: 10 mg/m <sup>3</sup><br>Fração inalável; Sintomas nasais                                       |

### 8.2 Exposure controls

#### Individual protection measures, such as personal protective equipment

##### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

##### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Wear a disposable half-mask dust filter in accordance with standard EN149.

##### Hand protection

Protective gloves against chemicals (standard EN 374-1)

(Contd. on page 7)

EUG

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 6)

Check protective gloves prior to each use for their proper condition.  
The hands must be cleaned from the powder before putting on the gloves.

**Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

Protective eyewear (standard EN 166)  
Tightly sealed goggles

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

**General Information**

|   |                           |
|---|---------------------------|
| <b>Physical state</b>   | Solid.                    |
| <b>Colour:</b>  | Grey                      |
| <b>Odour:</b>   | Characteristic            |
| <b>Odour threshold:</b>   | Not determined.           |
| <b>Melting point/freezing point:</b>                            | Undetermined.             |
| <b>Boiling point or initial boiling point and boiling range</b> | Undetermined.             |
| <b>Flammability</b>   | Product is not flammable. |
| <b>Lower and upper explosion limit</b>                          |                           |
| <b>Lower:</b>   | Not determined.           |
| <b>Upper:</b>   | Not determined.           |
| <b>Flash point:</b>   | Not applicable            |
| <b>Auto-ignition temperature:</b>                               | Not determined.           |
| <b>Decomposition temperature:</b>                               | Not determined.           |
| <b>pH</b>   | 12 - 13                   |
|   | In water                  |
| <b>Viscosity:</b>   |                           |
| <b>Kinematic viscosity</b>                                      | Not applicable.           |
| <b>dynamic:</b>   | Not applicable.           |
| <b>Solubility</b>   |                           |
| <b>Water:</b>   | Insoluble                 |
| <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.           |
| <b>Vapour pressure:</b>   | Not applicable.           |
| <b>Density and/or relative density</b>                          |                           |
| <b>Density:</b>   | Not applicable.           |
| <b>Relative density</b>   | Not determined.           |
| <b>Vapour density</b>   | Not applicable.           |
| <b>Particle characteristics</b>                                 | See section 3.            |

(Contd. on page 8)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 7)

**9.2 Other information**

**Appearance:**

**Form:** Powder

**Important information on protection of health and environment, and on safety.**

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

**Minimum ignition energy**

**Solvent content:**

**Organic solvents:** 0.0 %

**EU-VOC (%):** 0,00 %

**EU-VOC (g/L)**

**Solids content:** 100.0 %

**Change in condition**

**Softening point/range**

**Oxidising properties:** Not determined.

**Evaporation rate:** Not applicable.

**Information with regard to physical hazard classes**

**Explosives:** Void

**Flammable gases:** Void

**Aerosols:** Void

**Oxidising gases:** Void

**Gases under pressure:** Void

**Flammable liquids:** Void

**Flammable solids:** Void

**Self-reactive substances and mixtures:** Void

**Pyrophoric liquids:** Void

**Pyrophoric solids:** Void

**Self-heating substances and mixtures:** Void

**Substances and mixtures, which emit flammable gases in contact with water:** Void

**Oxidising liquids:** Void

**Oxidising solids:** Void

**Organic peroxides:** Void

**Corrosive to metals:** Void

**Desensitised explosives:** Void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity:** When mixed with water the product hardens forming a stable non-reactive mass.

**10.2 Chemical stability:** Stable at recommended storage conditions

**10.3 Possibility of hazardous reactions:** No dangerous reactions known

**10.4 Conditions to avoid**

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

**10.5 Incompatible materials:** Acids, ammonium salts, aluminum, non-precious metals.

(Contd. on page 9)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 8)

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

| Components                                      | Type | Value        | Species  |
|---|------|--------------|----------|
| <b>CAS: 471-34-1 Calcium carbonate</b>          |      |              |          |
| Oral  | LD50 | >2,000 mg/kg | (Rat)    |
| Dermal  | LD50 | >2,000 mg/kg | (Rat)    |
| <b>CAS: 65997-15-1 cement portland, grey</b>    |      |              |          |
| Dermal  | LD50 | >2,000 mg/kg | (Rabbit) |
| <b>CAS: 1305-62-0 calcium dihydroxide</b>       |      |              |          |
| Oral  | LD50 | >2,000 mg/kg | (Rat)    |
| Dermal  | LD50 | >2,500 mg/kg | (Rabbit) |
| <b>CAS: 93685-99-5 Burnt Oil Shale (BOS)</b>    |      |              |          |
| Oral  | LD50 | >2,000 mg/kg | (Rat)    |
| <b>CAS: 7778-18-9 calcium sulphate, natural</b> |      |              |          |
| Oral  | LD50 | >2,000 mg/kg | (Rat)    |

**Primary irritant effect:**

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

**Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** Not classified as harmful to aquatic life

| Type of test                           | Effective concentration | Method  | Assessment |
|--|-------------------------|---------|------------|
| <b>CAS: 471-34-1 Calcium carbonate</b> |                         |         |            |
| EC50/72h                               | 14 mg/l                 | (Algae) |            |

(Contd. on page 10)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 9)

|   |   |
|---|---|
| <b>CAS: 1305-62-0 calcium dihydroxide</b>       |   |
| LC50/48h  | 1,830 mg/l (aquatic invertebrates)            |
| LC50/96h  | 158 mg/l (aquatic invertebrates)              |
|   | 50.6-457 mg/l (Fish)                          |
| EC50/48h  | 49.1 mg/l (aquatic invertebrates)             |
| EC50/72h  | 184.57 mg/l (aquatic algae and cyanobacteria) |
| NOEC (72h)                                      | 48 mg/l (aquatic algae and cyanobacteria)     |
| NOEC (48h)                                      | 33.3 mg/l (aquatic invertebrates)             |
| NOEC (14d)                                      | 32 mg/l (aquatic invertebrates)               |
| <b>CAS: 93685-99-5 Burnt Oil Shale (BOS)</b>    |   |
| LC50/96h  | >100 mg/l (Fish)                              |
| EC50/48h  | >100 mg/l (Daphnia magna)                     |
| EC50/72h  | 82.7 mg/l (Algae)                             |
| NOEC (72h)                                      | 3.2 mg/l (Algae)                              |
| NOEC (96h)                                      | ≥100 mg/l (Fish)                              |
| NOEC (21d)                                      | 1 mg/l (Daphnia magna)                        |
| <b>CAS: 7778-18-9 calcium sulphate, natural</b> |   |
| LC50/48h  | 79-1,970 mg/l (aquatic invertebrates)         |
| LC50/96h  | 79-2,980 mg/l (Fish)                          |
| EC50/72h  | >79 mg/l (aquatic algae and cyanobacteria)    |

**12.2 Persistence and degradability** The product is not biodegradable.

**12.3 Bioaccumulative potential** Does not accumulate in organisms

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Remark:**

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

**Behaviour in sewage processing plants:**

| Type of test / Effective concentration / Method / Assessment |                                |
|--|--------------------------------|
| <b>CAS: 471-34-1 Calcium carbonate</b>                       |                                |
| EC 50 (3h)   | 1,000 mg/l (microorganisms)    |
| <b>CAS: 1305-62-0 calcium dihydroxide</b>                    |                                |
| EC 50 (3h)   | 300.4 mg/l (microorganisms)    |
| <b>CAS: 93685-99-5 Burnt Oil Shale (BOS)</b>                 |                                |
| EC 50 (3h)   | >1,000 mg/l (Activated sludge) |
| <b>CAS: 7778-18-9 calcium sulphate, natural</b>              |                                |
| EC 50 (3h)   | >1,000 mg/l (microorganisms)   |

(Contd. on page 11)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 10)

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

Follow the producers use and disposal instructions to avoid the releases to the environment.

When cleaning tools: remove product residues from the mixing and application tools before cleaning them with water.

Cleaning with a high-pressure cleaner is not recommended, as this could result in the release of the product to the environment, which must be avoided.

Process mortar residues to let them harden, before returning the residues to recycling or disposing them of in accordance with applicable requirements.

Cleaning of silos and bulk trucks must be done according to national regulations to avoid discharged of product or wastewater into the environment.

**European waste catalogue**

|           |  |
|-----------|--|
| 17 01 01  | concrete   |
| 16 03 03* | inorganic wastes containing hazardous substances   |
| 10 13 11  | wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10 |
| HP4       | Irritant - skin irritation and eye damage  |
| HP5       | Specific Target Organ Toxicity (STOT)/Aspiration Toxicity  |

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:** Thoroughly shake out sacks.

**SECTION 14: Transport information**

|   |                 |
|---|-----------------|
| <b>14.1 UN number or ID number</b><br>ADR, ADN, IMDG, IATA              | Void            |
| <b>14.2 UN proper shipping name</b><br>ADR, ADN, IMDG, IATA             | Void            |
| <b>14.3 Transport hazard class(es)</b><br>ADR, ADN, IMDG, IATA<br>Class | Void            |
| <b>14.4 Packing group</b><br>ADR, IMDG, IATA                            | Void            |
| <b>14.5 Environmental hazards:</b>                                      | Not applicable. |

(Contd. on page 12)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 11)

|   |  |
|---|--|
| <b>14.6 Special precautions for user</b>                            | Not applicable.                                      |
| <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable.                                      |
| <b>Transport/Additional information:</b>                            | Not dangerous according to the above specifications. |
| <b>UN "Model Regulation":</b>                                       | Void   |

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)  
 Regulation (EC) No 1272/2008 (CLP)  
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)  
 This product is subject to the Regulation (EU) 2023/2055 amending REACH Annex XVII 'Restriction List' as regards Synthetic Polymer Microparticles (Entry no.78 on the List).  
 Cement clinker is exempted from REACH registration (REACH Article 2(7)(b) and Annex V point 10)  
**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EU) 2017/852 on mercury (Annex I)**

None of the ingredients is listed.

**REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII Entry no. 47 Chromium VI compounds)  
 Conditions of restriction: 47

**Regulation (EU) No 649/2012**

None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

(Contd. on page 13)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 12)

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation

Serious eye damage/irritation

Specific target organ toxicity (single exposure)

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:**

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

**Contact:**

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

**Version number of previous version: 4**

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 14)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 19.10.2025

Version number 5 (replaces version 4)

Revision: 19.10.2025

**Trade name: weber MTL Wet room render**

(Contd. of page 13)

LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG