

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Pieri DRC 6 01

Safety data sheet no.: 358P1139

1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is intended for industrial or professional use.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

L-(+)-Tartaric acid

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statements

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

(Contd. on page 2)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 1)

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
EC number: 927-241-2 Reg.nr.: 01-2119471843-32-xxxx	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ STOT SE 3, H336; Aquatic Chronic 3, H412	25-50%
CAS: 112926-00-8 EINECS: 231-545-4 Reg.nr.: 01-2119379499-16-xxxx 01-2120105300-82-xxxx	Siliciumdioxid substance with a Community workplace exposure limit	10-20%
CAS: 87-69-4 EINECS: 201-766-0 Reg.nr.: 01-2119537204-47-xxxx	L-(+)-Tartaric acid ⚠ Eye Dam. 1, H318 substance with a Community workplace exposure limit	5-10%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide Note: V, W, 10 substance with a Community workplace exposure limit	5-10%
CAS: 61791-53-5 EINECS: 263-186-4	Amines, N-tallow alkyltrimethylènedi-, oleates ⚠ STOT RE 2, H373; ⚠ Aquatic Acute 1, H400 (M=10); ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 Specific concentration limit: STOT RE 2; H373: C ≥ 50 %	1-2%

SVHC Void

(Contd. on page 3)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 2)

Additional information

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\leq 10 \mu\text{m}$.

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.

Use methods suitable to surrounding conditions.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 3)

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well ventilated areas.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Empty containers may retain hazardous residue, both liquid and vapour. Do not cut, drill, grind or weld on or near container, whether empty or full.

Information about fire - and explosion protection:

Flammable gas-air mixtures may form in empty receptacles.

Keep away from heat, sparks, open flames and hot surfaces.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground and bond container and receiving equipment.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product.

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Oral	Derived No Effect Level	46 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	77 mg/kgxday (worker systemic long term value)
		46 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	871 mg/m ³ (worker systemic long term value)
		185 mg/m ³ (consumer systemic long term value)

(Contd. on page 5)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 4)

CAS: 13463-67-7 titanium dioxide

Inhalative	Derived No Effect Level	1.25 mg/m ³ (worker local long term value) 0.21 mg/m ³ (consumer local long term value)
------------	-------------------------	--

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 112926-00-8 Siliciumdioxid

AGW (Germany)	Long-term value: 1 E mg/m ³ 8(II);AGS, 2, Y
TWA (Germany)	Long-term value: 6* ; 2.4** mg/m ³ * einatembarer Staub; ** aleovengängiger Staub
LEP (Spain)	Long-term value: 10 mg/m ³ gel
TWA (Italy)	Long-term value: (10) mg/m ³
VLE (Portugal)	Long-term value: 10 mg/m ³ Irritacao
HTP (Finland)	Long-term value: 5 mg/m ³

CAS: 87-69-4 L-(+)-Tartaric acid

AGW (Germany)	Long-term value: 2 E mg/m ³ 2(I);DFG, Y
---------------	---

CAS: 13463-67-7 titanium dioxide

AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y
GV (Denmark)	Short-term value: 12 mg/m ³ Long-term value: 6 mg/m ³ K, som Ti
LEP (Spain)	Long-term value: 10 mg/m ³
TWA (Italy)	Long-term value: 10 mg/m ³ A4
VLE (Portugal)	Long-term value: 10 mg/m ³ A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m ³ totaldamm

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 5)

Hand protection

Protective gloves against chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

The hands must be cleaned from the powder before putting on the gloves.

Check protective gloves prior to each use for their proper condition.

Material of gloves

Nitrile rubber, NBR

PVC gloves

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Protective eyewear (standard EN 166)

Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Blue

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

130 °C (DIN)

Flammability

Flammable.

Lower and upper explosion limit

Lower:

0.6 Vol % (DIN 51649)

Upper:

6.5 Vol % (DIN 51649)

Flash point:

23 °C (DIN ISO 2592)

Auto-ignition temperature:

>230 °C (DIN 51794)

Decomposition temperature:

Not determined.

pH

Not determined.

Viscosity:

Kinematic viscosity at 20 °C

100 s

Not determined.

dynamic:

Not determined.

Solubility

Water:

Not miscible or difficult to mix

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C:

1 hPa (DIN 51640)

Density and/or relative density

Density at 20 °C:

1.1 g/cm³ (DIN 51757)

Relative density

Not determined.

Bulk density:

Not applicable.

Vapour density

Not determined.

(Contd. on page 7)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 6)

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Minimum ignition energy

Solvent separation test: Not determined

EU-VOC (%): 40.4000 %

Change in condition

Softening point/range

Oxidising properties: Not determined.

Evaporation rate: Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions Flammable

10.4 Conditions to avoid

Avoid heat, sparkles, naked flame or other sources of ignition.

Avoid frost

10.5 Incompatible materials: Heat sources

(Contd. on page 8)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 7)

10.6 Hazardous decomposition products:

Carbon monoxide
Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			
Oral	LD50	15,000 mg/kg	(Rat)
Dermal	LD50	3,160 mg/kg	(Rabbit)
CAS: 112926-00-8 Siliciumdioxid			
Oral	LD50	>10,000 mg/kg	(Rat)
Dermal	LD50	>5,000 mg/kg	(Rabbit)
CAS: 87-69-4 L-(+)-Tartaric acid			
Oral	LD50	5,000 mg/kg	(Rat)
CAS: 13463-67-7 titanium dioxide			
Oral	LD50	>5,000 mg/kg	(Rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects (H412).

Type of test / Effective concentration / Method / Assessment	
CAS: 112926-00-8 Siliciumdioxid	
LC50/48h	512.078 mg/l (aquatic invertebrates)
LC50/96h	2,594 mg/l (aquatic invertebrates)
EC50/48h	5,000 mg/l (aquatic invertebrates)

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 8)

EC50/96h	217.6 mg/l (aquatic algae and cyanobacteria)
EC50/72h	500 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	173.1 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	5,000 mg/l (Fish)
NOEC (48h)	5,000 mg/l (aquatic invertebrates)
NOEC (21d)	68-250 mg/l (aquatic invertebrates)
CAS: 87-69-4 L-(+)-Tartaric acid	
LC50/96h	>100 mg/l (Fish)
EC50/48h	93.313 mg/l (aquatic invertebrates)
EC50/72h	51.404-100 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	>100 mg/l (aquatic invertebrates)
CAS: 13463-67-7 titanium dioxide	
IC50/72h	1 mg/l (Fish)
LC50/48h	>100 mg/l (aquatic invertebrates)
LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>100 mg/l (Algae)
NOEC (72h)	≥10 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	≥1 mg/l (aquatic plants other than algae)
NOEC (21d)	≥100 mg/l (aquatic invertebrates)
NOEC (28d)	≥100 mg/l (aquatic invertebrates)
	≥0.07 mg/l (Fish)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

EBAB | 1.99-5.25 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark: Harmful to fish

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment	
CAS: 112926-00-8 Siliciumdioxid	
EC 50 (3h)	1,000-4,500 mg/l (microorganisms)
CAS: 87-69-4 L-(+)-Tartaric acid	
EC 50 (3h)	>1,000 mg/l (microorganisms)
CAS: 13463-67-7 titanium dioxide	
EC 50 (3h)	1,000 mg/l (microorganisms)

(Contd. on page 10)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 9)

Additional ecological information:

General notes:

Harmful to aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

European waste catalogue

08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number
ADR, IMDG, IATA

UN1263

14.2 UN proper shipping name
ADR
IMDG, IATA

1263 PAINT
PAINT

14.3 Transport hazard class(es)

ADR



Class
Label

3 (F1) Flammable liquids.
3

IMDG, IATA



Class
Label

3 Flammable liquids.
3

14.4 Packing group
ADR, IMDG, IATA

III

(Contd. on page 11)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 10)

14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): 30 EMS Number: Stowage Category	Warning: Flammable liquids. F-E, <u>S</u> -E A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1263 PAINT, 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 12)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 11)

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 13)

EUG

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.06.2025

Version number 1

Revision: 19.06.2025

Trade name: Pieri DRC 6 01

(Contd. of page 12)

Classification according to Regulation (EC) No 1272/2008	
Flammable liquids	Bridging principles
Serious eye damage/irritation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.