

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: weber 2-K Accelerator

Safety data sheet no.: 358P0179

1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is intended for industrial or professional use.

Application of the substance / the mixture

Construction chemicals

Accelerator

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

| | | |
|-------------------|-----------|--|
| Flam. Liq. 3 | H226 | Flammable liquid and vapour. |
| Acute Tox. 4 | H332 | Harmful if inhaled. |
| Skin Sens. 1 | H317 | May cause an allergic skin reaction. |
| Muta. 2 | H341 | Suspected of causing genetic defects. |
| Repr. 1B | H360FD | May damage fertility. May damage the unborn child. |
| STOT SE 2 | H371 | May cause damage to organs. |
| STOT SE 3 | H335-H336 | May cause respiratory irritation. May cause drowsiness or dizziness. |
| STOT RE 2 | H373 | May cause damage to organs through prolonged or repeated exposure. |
| Asp. Tox. 1 | H304 | May be fatal if swallowed and enters airways. |
| Aquatic Chronic 2 | H411 | Toxic to aquatic life with long lasting effects. |

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 1)

Hazard pictograms



GHS02 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C9, aromatics
dibutyltin dilaurate

Hazard statements

H226 Flammable liquid and vapour.
H332 Harmful if inhaled.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H360FD May damage fertility. May damage the unborn child.
H371 May cause damage to organs.
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.
H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.
Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

(Contd. on page 3)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 2)

| Dangerous components: | | |
|--|---|---------|
| CAS: 128601-23-0 EC number: 918-668-5 Reg.nr.: 01-2119455851-35-xxxx | Hydrocarbons, C9, aromatics ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ STOT SE 3, H335-H336, EUH066 | 75-100% |
| CAS: 77-58-7 Reg.nr.: 01-2119496068-27-xxxx | dibutyltin dilaurate ⚠ Muta. 2, H341; Repr. 1B, H360FD; STOT SE 1, H370; STOT RE 1, H372; ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ⚠ Eye Irrit. 2, H319; Skin Sens. 1, H317 | 1-2% |

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

Seek immediate medical advice

After inhalation

Supply fresh air.

Seek medical treatment.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Ensure that medical personnel know the substance involved and that they take the necessary protective measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 3)

5.3 Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Ensure adequate ventilation.

Avoid contact with skin and eyes.

6.2 Environmental precautions:

The product must not get into lakes, rivers or canals, the sewage system or into the soil. Dam up or trap any escaping fluid immediately.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb with sawdust or other combustible absorbents.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Do not breath vapours.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

7.2 Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep container tightly sealed.

(Contd. on page 5)

EUG

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 4)

Store receptacles in a well ventilated area.

Store in dry conditions.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

| DNELs | | |
|---|-------------------------|--|
| CAS: 128601-23-0 Hydrocarbons, C9, aromatics | | |
| Oral | Derived No Effect Level | 7.5 mg/kgxday (consumer systemic long term value) |
| Dermal | Derived No Effect Level | 12.5 mg/kgxday (worker systemic long term value) 7.5 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 151 mg/m ³ (worker systemic long term value) 32 mg/m ³ (consumer systemic long term value) |
| CAS: 77-58-7 dibutyltin dilaurate | | |
| Oral | Derived No Effect Level | 0.0031 mg/kgxday (consumer systemic long term value) |
| Dermal | Derived No Effect Level | 0.43 mg/kgxday (worker systemic long term value) 0.16 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 0.02 mg/m ³ (worker systemic long term value) 0.0046 mg/m ³ (consumer systemic long term value) |

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

Ensure adequate ventilation during use.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A2/P2.

Hand protection

Protective gloves against chemicals (standard EN 374-1)

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Check protective gloves prior to each use for their proper condition.

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Protective eyewear (standard EN 166)

Tightly sealed goggles

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

Body protection: Protective work clothing.

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

| | |
|---|----------------------------|
| Physical state | Liquid |
| Colour: | Colourless |
| Odour: | Aromatic |
| Odour threshold: | Not determined |
| Melting point/freezing point: | Undetermined |
| Boiling point or initial boiling point and boiling range | 165-181 °C |
| Flammability | Flammable. |
| Lower and upper explosion limit | |
| Lower: | Not determined |
| Upper: | Not determined |
| Flash point: | 50 °C |
| Auto-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined |
| pH | Not applicable. |
| Viscosity: | |
| Kinematic viscosity at 20 °C | 0.7-0.8 mm ² /s |
| dynamic: | Not determined. |
| Solubility | |
| Water: | Insoluble |
| Partition coefficient n-octanol/water (log value) | Not determined |
| Vapour pressure: | Not determined |
| Density and/or relative density | |
| Density: | Not determined |
| Relative density | Not determined |
| Bulk density: | Not applicable. |
| Vapour density | Not determined |

9.2 Other information

| | |
|--|---|
| Appearance: | |
| Form: | Liquid |
| Important information on protection of health and environment, and on safety. | |
| Ignition temperature: | Product is not self-igniting. |
| Explosive properties: | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| Minimum ignition energy | |
| Solvent separation test: | Not determined |
| Change in condition | |
| Softening point/range | |
| Oxidising properties | Not determined. |

(Contd. on page 7)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 6)

| | |
|--|------------------------------|
| Evaporation rate | Not determined |
| Information with regard to physical hazard classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Flammable liquid and vapour. |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1 Reactivity Flammable

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid

Avoid heat, sparkles, naked flame or other sources of ignition.

Keep away from heat sources.

10.5 Incompatible materials: Strong oxidising agents.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity

Harmful if inhaled.

LD/LC50 values relevant for classification:

| Components | Type | Value | Species |
|---|------|--------------|----------|
| CAS: 128601-23-0 Hydrocarbons, C9, aromatics | | | |
| Oral | LD50 | 3,492 mg/kg | (Rat) |
| Dermal | LD50 | >3,160 mg/kg | (Rabbit) |
| CAS: 77-58-7 dibutyltin dilaurate | | | |
| Oral | LD50 | 2,071 mg/kg | (Rat) |
| Dermal | LD50 | >2,000 mg/kg | (Rat) |

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 7)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

May damage fertility. May damage the unborn child.

STOT-single exposure

May cause damage to organs.

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects (H411)

Type of test / Effective concentration / Method / Assessment

CAS: 128601-23-0 Hydrocarbons, C9, aromatics

| | |
|------------|--|
| LC50/96h | 9.22 mg/l (Fish) |
| EC50/48h | 6.14 mg/l (aquatic invertebrates) |
| EC50/72h | 0.29-0.42 mg/l (aquatic algae and cyanobacteria) |
| NOEC (72h) | 0.07 mg/l (aquatic algae and cyanobacteria) |

CAS: 77-58-7 dibutyltin dilaurate

| | |
|----------|--|
| LC50/96h | 21.2 mg/l (Fish) |
| EC50/48h | 0.463-3.4 mg/l (aquatic invertebrates) |
| EC50/72h | 1 mg/l (aquatic algae and cyanobacteria) |

12.2 Persistence and degradability Heavily biodegradable

Method

CAS: 128601-23-0 Hydrocarbons, C9, aromatics

Biod. (28 days) | 78 % (Biodegradation)

12.3 Bioaccumulative potential

No further relevant information available.

CAS: 128601-23-0 Hydrocarbons, C9, aromatics

EBAB | 3.03-4.73 log Pow

(Contd. on page 9)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 8)

CAS: 77-58-7 dibutyltin dilaurate

| | |
|------------------------------|--------------|
| EBAB | 4.44 log Pow |
| Bioaccumulation Factor (BCF) | 2.91 |

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 77-58-7 dibutyltin dilaurate

| | |
|------------|-----------------------------|
| EC 50 (3h) | 1,000 mg/l (microorganisms) |
|------------|-----------------------------|

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

After prior treatment, the product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

European waste catalogue

| | |
|-----------|---|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances |
| HP3 | Flammable |
| HP5 | Specific Target Organ Toxicity (STOT)/Aspiration Toxicity |
| HP10 | Toxic for reproduction |
| HP11 | Mutagenic |
| HP14 | Ecotoxic |

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

**14.1 UN number or ID number
ADR, IMDG, IATA**

UN1263

**14.2 UN proper shipping name
ADR**

1263 PAINT RELATED MATERIAL,
ENVIRONMENTALLY HAZARDOUS
PAINT RELATED MATERIAL, MARINE POLLUTANT

IMDG

(Contd. on page 10)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.




Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 9)

| IATA | PAINT RELATED MATERIAL |
|---|--|
| 14.3 Transport hazard class(es) | |
| ADR | |
|  | |
| Class | 3 (F1) Flammable liquids. |
| Label | 3 |
| IMDG | |
|  | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| IATA | |
|  | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| 14.4 Packing group | |
| ADR, IMDG, IATA | |
| III | |
| 14.5 Environmental hazards: | |
| Marine pollutant: | Product contains environmentally hazardous substances: dibutyltin dilaurate, Solvent naphtha light |
| Special marking (ADR): | Yes Symbol (fish and tree) |
| 14.6 Special precautions for user | |
| Warning: Flammable liquids. | |
| Hazard identification number (Kemler code): 30 | |
| EMS Number: F-E, <u>S</u> -E | |
| Stowage Category A | |
| 14.7 Maritime transport in bulk according to IMO instruments | |
| Not applicable | |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| Transport category | 3 |

(Contd. on page 11)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 10)

| | |
|---------------------------------|--|
| Tunnel restriction code | D/E |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation": | UN 1263 PAINT RELATED MATERIAL, 3, III, ENVIRONMENTALLY HAZARDOUS |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 20, 30

Regulation (EU) No 649/2012

CAS: 77-58-7 dibutyltin dilaurate

Annex I Part 1

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 12)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 11)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H360FD May damage fertility. May damage the unborn child.
- H370 Causes damage to organs.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

| | |
|--|--|
| Flammable liquids | Bridging principles |
| Acute toxicity - inhalation Specific target organ toxicity (single exposure) Aspiration hazard | Expert judgement |
| Skin sensitisation Germ cell mutagenicity Reproductive toxicity Specific target organ toxicity (repeated exposure) Hazardous to the aquatic environment - long-term (chronic) aquatic hazard | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. |

Department issuing SDS:
Saint-Gobain Finland Oy / Weber
QEHS
P.O.Box 70 (Strömberginkuja 2)
FI-00381 Helsinki

(Contd. on page 13)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 05.02.2026

Version number 2 (replaces version 1)

Revision: 05.02.2026

Trade name: weber 2-K Accelerator

(Contd. of page 12)

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Version number of previous version: 1**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG