

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: weber MS+ Moisture Sealer

Safety data sheet no.: 358P0496

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Application of the substance / the mixture

Construction chemicals

Priming

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

### 1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

#### Additional information:

EUH208 Contains 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: 2-methyl-2H-isothiazol-3-one

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Plastic dispersion

(Contd. on page 2)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

(Contd. of page 1)

**Dangerous components:**

CAS: 119345-04-9 EC number: 601-601-6 Reg.nr.: 01-2119492361-39-xxxx	Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts ⚠ Repr. 2, H361fd; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411	≥0.25-<1%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50-xxxx	2-methyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % substance with a Community workplace exposure limit	<0.0015%

SVHC Void

**Additional information** For the wording of the listed hazard statements refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**
**After inhalation** Supply fresh air.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact**

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**
**Suitable extinguishing agents** Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Hydrogen chloride (HCl)

**5.3 Advice for firefighters**
**Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)

EUG

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

(Contd. of page 2)

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective clothing.

Avoid contact with skin and eyes.

**6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Packaging must remain undamaged to prevent the product from leaking into the environment.

When opening the packaging, avoid spillage of the product.

Apply the product according to the instructions for use.

Collect water from cleaning of tools or other equipment for reuse or disposal according to local regulations. Do not dispose cleaning water into the environment or stormwater drains.

**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:**

Store away from metals.

Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

**Recommended storage temperature:** 10-25°C**7.3 Specific end use(s)** No further relevant information available.

-EUG-

(Contd. on page 4)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

Trade name: weber MS+ Moisture Sealer

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
<b>CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts</b>		
Oral	Derived No Effect Level	0.6 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	1.2 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	0.6 mg/kgxday (consumer systemic long term value)
		4.4 mg/m <sup>3</sup> (worker systemic long term value)
		1.1 mg/m <sup>3</sup> (consumer systemic long term value)
<b>CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one</b>		
Oral	Derived No Effect Level	0.027 mg/kgxday (consumer local long term value)
Inhalative	Derived No Effect Level	0.043 mg/m <sup>3</sup> (worker local short term value)
		0.021 mg/m <sup>3</sup> (worker local long term value)
		0.021 mg/m <sup>3</sup> (consumer local long term value)
		0.043 mg/m <sup>3</sup> (consumer local short term value)
PNECs		
<b>CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts</b>		
Predicted No-Effect Concentration		0.63 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.003 mg/l (sea water rating factor)
		0.031 mg/l (fresh water rating factor)
<b>CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one</b>		
Predicted No-Effect Concentration		0.0471 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00339 mg/l (sea water rating factor)
		0.00339 mg/l (fresh water rating factor)
CAS No. / Designation of material / % / Type / Value / Unit		
<b>CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one</b>		
MAK (Germany)		vgl. Abschn. IIb und Xc

#### 8.2 Exposure controls

##### Individual protection measures, such as personal protective equipment

##### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Do not eat, drink, smoke or sniff while working.

##### Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Wear a disposable half-mask dust filter in accordance with standard EN149.

##### Hand protection

Protective gloves against chemicals (standard EN 374-1)

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

(Contd. of page 4)

Check protective gloves prior to each use for their proper condition.

**Material of gloves**

PVC gloves  
Neoprene gloves  
Rubber gloves

**Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

Protective eyewear (standard EN 166)  
Tightly sealed goggles

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Physical state</b>	Liquid
<b>Colour:</b>	Green
<b>Odour:</b>	Mild
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	0 °C
<b>Boiling point or initial boiling point and boiling range</b>	100 °C
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>pH at 20 °C</b>	1-4 Mixture reacts violently with water.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>dynamic at 20 °C:</b>	<40 mPas Not determined.
<b>Solubility</b>	
<b>Water:</b>	Miscible
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined
<b>Relative density</b>	Not determined.
<b>Bulk density at 20 °C:</b>	1.1-1.4 g/cm <sup>3</sup> Not applicable.
<b>Vapour density</b>	Not determined.

(Contd. on page 6)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

(Contd. of page 5)

**9.2 Other information**

**Appearance:**

**Form:** Fluid

**Important information on protection of health and environment, and on safety.**

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

**Minimum ignition energy:** Not applicable.

**Solvent separation test:** Not applicable.

**Solvent content:** 0.0 %

**Organic solvents:** 0.0 %

**Change in condition:** Not determined.

**Softening point/range:** Not determined.

**Oxidising properties:** Not determined.

**Evaporation rate:** Not determined.

**Information with regard to physical hazard classes**

**Explosives:** Void

**Flammable gases:** Void

**Aerosols:** Void

**Oxidising gases:** Void

**Gases under pressure:** Void

**Flammable liquids:** Void

**Flammable solids:** Void

**Self-reactive substances and mixtures:** Void

**Pyrophoric liquids:** Void

**Pyrophoric solids:** Void

**Self-heating substances and mixtures:** Void

**Substances and mixtures, which emit flammable gases in contact with water:** Void

**Oxidising liquids:** Void

**Oxidising solids:** Void

**Organic peroxides:** Void

**Corrosive to metals:** Void

**Desensitised explosives:** Void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Not reactive under normal conditions of use

**10.2 Chemical stability:** Stable at recommended storage conditions

**10.3 Possibility of hazardous reactions:** No dangerous reactions known

**10.4 Conditions to avoid**

Avoid frost

Keep away from heat sources.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:**

Hydrogen chloride (HCl)

(Contd. on page 7)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

Carbon monoxide

(Contd. of page 6)

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
<b>CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one</b>			
Oral	LD50	120 mg/kg	(Rat)
Dermal	LD50	242 mg/kg	(Rat)
Inhalative	LC50/4 h	0.34 mg/l	(Rat)

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

Type of test	Effective concentration	Method	Assessment
<b>CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts</b>			
LC50/48h	1.64-3.63 mg/l	(aquatic invertebrates)	
LC50/96h	1.3 mg/l	(Fish)	
EC50/96h	840.1-949 mg/l	(aquatic algae and cyanobacteria)	
NOEC (96h)	297.5 mg/l	(aquatic algae and cyanobacteria)	
	1 mg/l	(Fish)	
NOEC (48h)	0.5 mg/l	(aquatic invertebrates)	
NOEC (21d)	1 mg/l	(aquatic invertebrates)	

(Contd. on page 8)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

(Contd. of page 7)

**CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one**

LC50/48h	0.934 mg/l (aquatic invertebrates) 6.2 mg/l (Fish)
LC50/24h	7.3 mg/l (Fish)
LC50/96h	1.81 mg/l (aquatic invertebrates) 4.77 mg/l (Fish)
EC50/24h	0.445 mg/l (aquatic algae and cyanobacteria) 1.7 mg/l (aquatic invertebrates)
EC50/48h	1.6 mg/l (aquatic invertebrates)
EC50/96h	0.0725 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	0.042 mg/l (aquatic invertebrates)
EC 10/16h	1 mg/l (microorganisms)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

**Behaviour in sewage processing plants:**

Type of test / Effective concentration / Method / Assessment	
<b>CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one</b>	
EC 50 (3h)	41 mg/l (microorganisms)

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Dispose of the product in accordance with national and local regulations.

Follow the producers use and disposal instructions to avoid the releases to the environment.

When cleaning tools: remove product residues from the mixing and application tools before cleaning them with water.

Cleaning with a high-pressure cleaner is not recommended, as this could result in the release of the product to the environment, which must be avoided.

European waste catalogue	
08 04 99	wastes not otherwise specified

**Uncleaned packaging:**

**Recommendation:** Non contaminated packagings may be recycled.

(Contd. on page 9)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

(Contd. of page 8)

**SECTION 14: Transport information**

<b>14.1 UN number or ID number</b> ADR, ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
<b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

This product is subject to the Regulation (EU) 2023/2055 amending REACH Annex XVII 'Restriction List' as regards Synthetic Polymer Microparticles (Entry no.78 on the List).

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EU) 2017/852 on mercury (Annex I)**

None of the ingredients is listed.

**REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII**

**Additional information on Entry 78**

The product falls under the microplastics restriction but is derogated under paragraph 5 of Regulation(EU) 2023/2055.

(Contd. on page 10)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

(Contd. of page 9)

**Regulation (EU) No 649/2012**

None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

**Department issuing SDS:**

Saint-Gobain Finland Oy / Weber  
QEHS  
P.O.Box 70 (Strömberginkuja 2)

(Contd. on page 11)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 3 (replaces version 2)

Revision: 10.12.2025

**Trade name: weber MS+ Moisture Sealer**

(Contd. of page 10)

FI-00381 Helsinki

**Contact:**

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

**Version number of previous version: 2****Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG