

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: weber MB Moisture sealer

Safety data sheet no.: 358P0499

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Construction chemicals

Priming

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH208 Contains 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: 2-methyl-2H-isothiazol-3-one

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Plastic dispersion

Dangerous components:

CAS: 119345-04-9 EC number: 601-601-6 Reg.nr.: 01-2119492361-39-xxxx	Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts ⚠ Repr. 2, H361fd; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411	≥0.25-<1%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50-xxxx	2-methyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % substance with a Community workplace exposure limit	<0.0015%

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Supply fresh air.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Hydrogen chloride (HCl)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 2)

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective clothing.

Avoid contact with skin and eyes.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Packaging must remain undamaged to prevent the product from leaking into the environment.

Apply the product according to the instructions for use.

Collect water from cleaning of tools or other equipment for reuse or disposal according to local regulations. Do not dispose cleaning water into the environment or stormwater drains.

Information about fire - and explosion protection: No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:**

Store away from metals.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

Recommended storage temperature: 10-25°C**7.3 Specific end use(s)** No further relevant information available.

EUG

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts		
Oral	Derived No Effect Level	0.6 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	1.2 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	0.6 mg/kgxday (consumer systemic long term value)
		4.4 mg/m ³ (worker systemic long term value)
		1.1 mg/m ³ (consumer systemic long term value)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	Derived No Effect Level	0.027 mg/kgxday (consumer local long term value)
Inhalative	Derived No Effect Level	0.043 mg/m ³ (worker local short term value)
		0.021 mg/m ³ (worker local long term value)
		0.021 mg/m ³ (consumer local long term value)
		0.043 mg/m ³ (consumer local short term value)
PNECs		
CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts		
Predicted No-Effect Concentration		0.63 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.003 mg/l (sea water rating factor)
		0.031 mg/l (fresh water rating factor)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one		
Predicted No-Effect Concentration		0.0471 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00339 mg/l (sea water rating factor)
		0.00339 mg/l (fresh water rating factor)
CAS No. / Designation of material / % / Type / Value / Unit		
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one		
MAK (Germany)		vgl. Abschn. IIb und Xc

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Wear a disposable half-mask dust filter in accordance with standard EN149.

(Contd. on page 5)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 4)

Hand protection

Protective gloves against chemicals (standard EN 374-1)
Check protective gloves prior to each use for their proper condition.

Material of gloves

PVC gloves
Neoprene gloves
Rubber gloves

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Protective eyewear (standard EN 166)

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	Green
Odour:	Mild
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	100 °C (DIN)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH	1-4
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.1-1.3 g/cm ³ (DIN 51757)
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.

9.2 Other information

Appearance:
Form: Liquid

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 5)

Important information on protection of health and environment, and on safety.

Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not applicable.
EU-VOC (%)	0.0000 %
EU-VOC (g/L)	0.0000 g/l
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

Information with regard to physical hazard

classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity** Not reactive under normal conditions of use
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid**
Avoid frost
Keep away from heat sources.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:**
Hydrogen chloride (HCl)

(Contd. on page 7)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

Carbon monoxide

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one			
Oral	LD50	120 mg/kg	(Rat)
Dermal	LD50	242 mg/kg	(Rat)
Inhalative	LC50/4 h	0.34 mg/l	(Rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Sensitising effect by skin contact is possible by prolonged exposure.

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test	Effective concentration / Method / Assessment
CAS: 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	
LC50/48h	1.64-3.63 mg/l (aquatic invertebrates)
LC50/96h	1.3 mg/l (Fish)
EC50/96h	840.1-949 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	297.5 mg/l (aquatic algae and cyanobacteria)
	1 mg/l (Fish)

(Contd. on page 8)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 7)

NOEC (48h)	0.5 mg/l (aquatic invertebrates)
NOEC (21d)	1 mg/l (aquatic invertebrates)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one	
LC50/48h	0.934 mg/l (aquatic invertebrates) 6.2 mg/l (Fish)
LC50/24h	7.3 mg/l (Fish)
LC50/96h	1.81 mg/l (aquatic invertebrates) 4.77 mg/l (Fish)
EC50/24h	0.445 mg/l (aquatic algae and cyanobacteria) 1.7 mg/l (aquatic invertebrates)
EC50/48h	1.6 mg/l (aquatic invertebrates)
EC50/96h	0.0725 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	0.042 mg/l (aquatic invertebrates)
EC 10/16h	1 mg/l (microorganisms)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one
EC 50 (3h) 41 mg/l (microorganisms)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Follow the producers use and disposal instructions to avoid the releases to the environment.

When cleaning tools: remove product residues from the mixing and application tools before cleaning them with water.

Cleaning with a high-pressure cleaner is not recommended, as this could result in the release of the product to the environment, which must be avoided.

European waste catalogue	
08 04 99	wastes not otherwise specified

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 8)

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

This product is subject to the Regulation (EU) 2023/2055 amending REACH Annex XVII 'Restriction List' as regards Synthetic Polymer Microparticles (Entry no.78 on the List).

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 9)

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber
QEHS
P.O.Box 70 (Strömberginkuja 2)

(Contd. on page 11)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.12.2025

Version number 2

Revision: 10.12.2025

Trade name: weber MB Moisture sealer

(Contd. of page 10)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG