

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **weber Stonecoat**

Safety data sheet no.: 358P0273

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

| Dangerous components: | | |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| CAS: 14808-60-7 EINECS: 238-878-4 | Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit | 50-75% |
| CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-xxxx | titanium dioxide substance with a Community workplace exposure limit | 1-2% |
| CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 | 1,2-benzisothiazol-3(2H)-one ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 % | <0.05% |

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 2)

| | | |
|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <p>CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50-xxxx</p> | <p>2-methyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; ⚠ Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %</p> | <p>≥0.0015-<0.025%</p> |
| <p>CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5</p> | <p>reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %</p> | <p>≥0.00025-<0.0015%</p> |

SVHC Void

Additional information

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Allergies may occur for predisposed subjects.

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 3)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents** The product is not combustible.**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:**

Wear fully protective suit.

Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

Wear protective equipment. Keep unprotected persons away.

Avoid inhalation of vapors.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes.

Do not breath vapours.

Keep receptacles tightly sealed.

Information about fire - and explosion protection: No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.**Further information about storage conditions:** Keep container tightly sealed.**7.3 Specific end use(s)** No further relevant information available.

EUG

(Contd. on page 5)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

| DNELs | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAS: 13463-67-7 titanium dioxide | | |
| Inhalative | Derived No Effect Level | 1.25 mg/m ³ (worker local long term value) 0.21 mg/m ³ (consumer local long term value) |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | | |
| Dermal | Derived No Effect Level | 0.966 mg/kgxday (worker systemic long term value) 0.345 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 6.81 mg/m ³ (worker systemic long term value) 1.2 mg/m ³ (consumer systemic long term value) |
| CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one | | |
| Oral | Derived No Effect Level | 0.027 mg/kgxday (consumer local long term value) |
| Inhalative | Derived No Effect Level | 0.043 mg/m ³ (worker local short term value) 0.021 mg/m ³ (worker local long term value) 0.021 mg/m ³ (consumer local long term value) 0.043 mg/m ³ (consumer local short term value) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | |
| Oral | Derived No Effect Level | 0.09 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 0.02 mg/m ³ (worker local long term value) 0.02 mg/m ³ (consumer local long term value) |
| PNECs | | |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | | |
| Predicted No-Effect Concentration | | 3 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | | 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) |
| CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one | | |
| Predicted No-Effect Concentration | | 0.0471 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | | 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | |
| Predicted No-Effect Concentration | | 0.01 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | | 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) |
| CAS No. / Designation of material / % / Type / Value / Unit | | |
| CAS: 14808-60-7 Silicon dioxide (Quartz sand) | | |
| BOELV (European Union) | | Long-term value: 0.1* mg/m ³ *respirable fraction |

(Contd. on page 6)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 5)

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| MAK (Germany) | alveolengängige Fraktion |
| GV (Denmark) | Short-term value: 0.6* 0.2** mg/m ³ Long-term value: 0.3* 0.1** mg/m ³ *total; **total, respirabel: EK |
| LEP (Spain) | Long-term value: 0.05 mg/m ³ *Fracción resp:n,d,y |
| TWA (Italy) | Long-term value: 0.025 mg/m ³ A2, (j) |
| VLE (Portugal) | Long-term value: 0.025 mg/m ³ Resp.;A2; fibrose pulmonar; cancro do pulmão |
| OEL (Sweden) | Long-term value: 0.1 mg/m ³ C, M, respirabel fraktion |
| HTP (Finland) | Long-term value: 0.05 0.1* mg/m ³ alveolijae;*sitovat raja-arvot, pöly |
| CAS: 13463-67-7 titanium dioxide | |
| AGW (Germany) | Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einattembar; AGS, DFG, Y |
| GV (Denmark) | Short-term value: 12 mg/m ³ Long-term value: 6 mg/m ³ K, som Ti |
| LEP (Spain) | Long-term value: 10 mg/m ³ |
| TWA (Italy) | Long-term value: 10 mg/m ³ A4 |
| VLE (Portugal) | Long-term value: 10 mg/m ³ A4; Irritação do TRI |
| OEL (Sweden) | Long-term value: 5 mg/m ³ totaldamm |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | |
| MAK (Germany) | vgl.Abschn.IIb und Xc |
| CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one | |
| MAK (Germany) | vgl. Abschn. IIb und Xc |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | |
| MAK (Germany) | Long-term value: 0.2E mg/m ³ vgl.Abschn.Xc |

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Ensure adequate ventilation during use.

Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection Protective gloves against chemicals (standard EN 374-1)

(Contd. on page 7)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 6)

Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Butyl rubber, BR

Nitrile rubber, NBR

Eye/face protection

Goggles recommended during refilling

Wear safety glasses or visor helmet for spray application.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

| | |
|-----------------------------------------------------------------|------------------------------------|
| Colour: | According to product specification |
| Odour: | Uncharacteristic. |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling range | 100 °C (DIN, CAS: 7732-18-5 water) |
| Flammability | Not applicable. |
| Lower and upper explosion limit | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable |
| Auto-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| pH | Not determined |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| dynamic: | Not determined. |
| Solubility | |
| Water: | Partly soluble |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure at 20 °C: | 23 hPa |
| Density and/or relative density | |
| Density: | Not determined |
| Relative density | Not determined. |
| Bulk density: | Not applicable. |
| Vapour density | Not determined. |

9.2 Other information

| | |
|--------------------------------------------------------------------------------------|-----------------------------------------------|
| Appearance: | None. |
| Form: | Pasty |
| Important information on protection of health and environment, and on safety. | |
| Ignition temperature: | Product is not self-igniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Minimum ignition energy | |
| Solvent separation test: | Not determined |

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 7)

Solvent content:

| | |
|------------------------------|-----------------|
| Water: | 16.6 % |
| EU-VOC (g/L) | |
| Solids content: | 0.0 % |
| Change in condition | |
| Softening point/range | |
| Oxidising properties | Not determined. |
| Evaporation rate | Not determined. |

Information with regard to physical hazard classes

| | |
|----------------------------------------------------------------------------------|------|
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 8)

LD/LC50 values relevant for classification:

| Components | Type | Value | Species |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------|----------|
| CAS: 13463-67-7 titanium dioxide | | | |
| Oral | LD50 | >5,000 mg/kg | (Rat) |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | | | |
| Oral | LD50 | >490 mg/kg | (Rat) |
| Dermal | LD50 | >2,000 mg/kg | (Rat) |
| CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one | | | |
| Oral | LD50 | 120 mg/kg | (Rat) |
| Dermal | LD50 | 242 mg/kg | (Rat) |
| Inhalative | LC50/4 h | 0.34 mg/l | (Rat) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | | |
| Oral | LD50 | 457 mg/kg | (Rat) |
| Dermal | LD50 | 660 mg/kg | (Rabbit) |
| Inhalative | LC50/4 h | 2.36 mg/l | (Rat) |

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

| Type of test | Effective concentration | Method | Assessment |
|-----------------------------------------|-------------------------|-----------------------------------|------------|
| CAS: 13463-67-7 titanium dioxide | | | |
| IC50/72h | 1 mg/l | (Fish) | |
| LC50/48h | >100 mg/l | (aquatic invertebrates) | |
| LC50/96h | >100 mg/l | (Fish) | |
| EC50/48h | >100 mg/l | (aquatic invertebrates) | |
| EC50/72h | >100 mg/l | (Algae) | |
| NOEC (72h) | ≥10 mg/l | (aquatic algae and cyanobacteria) | |
| NOEC (96h) | ≥1 mg/l | (aquatic plants other than algae) | |
| NOEC (21d) | ≥100 mg/l | (aquatic invertebrates) | |

(Contd. on page 10)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 9)

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| NOEC (28d) | ≥100 mg/l (aquatic invertebrates) ≥0.07 mg/l (Fish) |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | |
| LC50/96h | 2.15-22 mg/l (Fish) |
| EC50/48h | 2.9 mg/l (aquatic invertebrates) |
| EC50/72h | 0.07-0.15 mg/l (aquatic algae and cyanobacteria) |
| NOEC (72h) | 0.0403-0.055 mg/l (aquatic algae and cyanobacteria) |
| CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one | |
| LC50/48h | 0.934 mg/l (aquatic invertebrates) 6.2 mg/l (Fish) |
| LC50/24h | 7.3 mg/l (Fish) |
| LC50/96h | 1.81 mg/l (aquatic invertebrates) 4.77 mg/l (Fish) |
| EC50/24h | 0.445 mg/l (aquatic algae and cyanobacteria) 1.7 mg/l (aquatic invertebrates) |
| EC50/48h | 1.6 mg/l (aquatic invertebrates) |
| EC50/96h | 0.0725 mg/l (aquatic algae and cyanobacteria) |
| NOEC (21d) | 0.042 mg/l (aquatic invertebrates) |
| EC 10/16h | 1 mg/l (microorganisms) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | |
| LC50/48h | 0.18 mg/l (Daphnia magna) |
| LC50/96h | 0.282 mg/l (Daphnia magna) 0.19-0.3 mg/l (Fish) |
| EC50/24h | 0.109 mg/l (Daphnia magna) 0.0107 mg/l (aquatic algae and cyanobacteria) |
| EC50/48h | 0.16 mg/l (Daphnia magna) 0.0181-0.0371 mg/l (aquatic algae and cyanobacteria) |
| EC50/96h | 0.0357 mg/l (aquatic algae and cyanobacteria) |
| EC50/72h | 0.0063-0.0273 mg/l (aquatic algae and cyanobacteria) |
| NOEC (14d) | 0.035 mg/l (Daphnia magna) |
| NOEC (21d) | 0.011-1.05 mg/l (Daphnia magna) |
| NOEC (28d) | 0.098 mg/l (Fish) |

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB | 0.7 log Pow

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EBAB | 0.75 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

(Contd. on page 11)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 10)

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

| Type of test / Effective concentration / Method / Assessment | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| CAS: 13463-67-7 titanium dioxide | |
| EC 50 (3h) | 1,000 mg/l (microorganisms) |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | |
| EC 50 (3h) | 12.8-24 mg/l (microorganisms) |
| CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one | |
| EC 50 (3h) | 41 mg/l (microorganisms) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | |
| EC 50 (3h) | 4.5 mg/l (microorganisms) |

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| European waste catalogue | |
|--------------------------|--------------------------------|
| 08 02 99 | wastes not otherwise specified |
| HP13 | Sensitising |

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

| | |
|-------------------------------------------------------------------------|-----------------|
| 14.1 UN number or ID number ADR, IMDG, IATA | Void |
| 14.2 UN proper shipping name ADR, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class | Void |
| 14.4 Packing group ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | Not applicable. |

(Contd. on page 12)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 11)

| | |
|---------------------------------------------------------------------|------------------------------------------------------|
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| Transport/Additional information: | Not dangerous according to the above specifications. |
| UN "Model Regulation": | Void |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2004/42/EC (VOC), cf. section 9

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU)

(Contd. on page 13)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.09.2024

Version number 3 (replaces version 2)

Revision: 09.09.2024

Trade name: weber Stonecoat

(Contd. of page 12)

2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

| | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin sensitisation | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------|

Department issuing SDS:

Saint-Gobain Finland Oy / Weber
QEHS
P.O.Box 70 (Strömberginkuja 2)
FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00
Fax +358-(0)10-44 22 520

Version number of previous version: 2

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern (REACH regulation)
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1