

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name: webercal 109 Hydraulic Primer Render**

**Safety data sheet no.:** 358P0226

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Ready-to-use mortar

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

**1.4 Emergency telephone number:**

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS05

**Signal word** Danger

**Hazard-determining components of labelling:**

Lime (chemical), hydraulic

calcium dihydroxide

**Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 1)

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read carefully and follow all instructions.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

Product mixed with water gives a pH of approx 13.  
 The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**Determination of endocrine-disrupting properties**

Does not contain substances with endocrine-disrupting properties.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

**Description:** Ready-mixed mortar with calcium dihydroxide.

**Dangerous components:**

CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	25-50%
CAS: 85117-09-5 EINECS: 285-561-1 Reg.nr.: 01-2119475523-36-xxxx	Lime (chemical), hydraulic ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	10-20%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	1%

**SVHC** Void

**Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%.  
 The respirable fraction has an occupational exposure limit value (cf. section 8).  
 For the wording of the listed hazard statements refer to section 16.

EUG

(Contd. on page 3)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 2)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Immediately remove any clothing soiled by the product.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Immediately rinse with water.

##### After eye contact

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

##### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

#### 4.2 Most important symptoms and effects, both acute and delayed

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents

The product is not combustible.

Use fire extinguishing methods suitable to surrounding conditions.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

**Protective equipment:** Use methods suitable to surrounding conditions.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

#### 6.3 Methods and material for containment and cleaning up:

The dry powder and the fresh product is removed with water. The hardened product is removed mechanically.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EUG

(Contd. on page 4)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 3)

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Avoid contact with skin and eyes.

Prevent formation of dust.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

<b>DNELs</b>		
<b>CAS: 85117-09-5 Lime (chemical), hydraulic</b>		
Inhalative	Derived No Effect Level	4 mg/m <sup>3</sup> (worker local short term value) 1 mg/m <sup>3</sup> (worker local long term value) 1 mg/m <sup>3</sup> (consumer local long term value) 4 mg/m <sup>3</sup> (consumer local short term value)
<b>CAS: 1305-62-0 calcium dihydroxide</b>		
Inhalative	Derived No Effect Level	4 mg/m <sup>3</sup> (worker local short term value) 1 mg/m <sup>3</sup> (worker local long term value) 1 mg/m <sup>3</sup> (consumer local long term value) 4 mg/m <sup>3</sup> (consumer local short term value)
<b>PNECs</b>		
<b>CAS: 85117-09-5 Lime (chemical), hydraulic</b>		
Predicted No-Effect Concentration		1,262 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.374 mg/l (sea water rating factor) 0.574 mg/l (fresh water rating factor)
<b>CAS: 1305-62-0 calcium dihydroxide</b>		
Predicted No-Effect Concentration		1,080 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.32 mg/l (sea water rating factor) 0.49 mg/l (fresh water rating factor)

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 4)

CAS No. / Designation of material / % / Type / Value / Unit	
<b>CAS: 14808-60-7 Silicon dioxide (Quartz sand)</b>	
BOELV (European Union)	Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction
MAK (Germany)	alveolengängige Fraktion
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m <sup>3</sup> Long-term value: 0.3* 0.1** mg/m <sup>3</sup> *total; **total, respirabel: EK
LEP (Spain)	Long-term value: 0.05 mg/m <sup>3</sup> *Fracción resp:n,d,y
TWA (Italy)	Long-term value: 0.025 mg/m <sup>3</sup> A2, (j)
VLE (Portugal)	Long-term value: 0.025 mg/m <sup>3</sup> Resp.;A2; fibrose pulmonar; cancro do pulmão
OEL (Sweden)	Long-term value: 0.1 mg/m <sup>3</sup> C, M, respirabel fraktion
HTP (Finland)	Long-term value: 0.05 0.1* mg/m <sup>3</sup> alveolijae;*sitovat raja-arvot, pöly
<b>CAS: 1305-62-0 calcium dihydroxide</b>	
IOELV (European Union)	Short-term value: 4 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup> Respirable fraction
AGW (Germany)	Long-term value: 1E mg/m <sup>3</sup> 2(I);Y, EU, DFG
GV (Denmark)	Short-term value: 10 4* mg/m <sup>3</sup> Long-term value: 5 1* mg/m <sup>3</sup> E; *respirabel fraktion
LEP (Spain)	Long-term value: 4 mg/m <sup>3</sup> , 1 ppm fracción resp., VLI, d
TWA (Italy)	Long-term value: 5 mg/m <sup>3</sup>
VL (Italy)	Short-term value: 4* mg/m <sup>3</sup> Long-term value: 1* mg/m <sup>3</sup> *frazione toracica
VLE (Portugal)	Long-term value: 5 mg/m <sup>3</sup> Irritação ocular, do TRS, cutânea
OEL (Sweden)	Short-term value: 4 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
HTP (Finland)	Short-term value: 4 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>

**Additional Occupational Exposure Limit Values for possible hazards during processing:**
Total inhalable dust: 10 mg/m<sup>3</sup> ; Respirable dust: 1 mg/m<sup>3</sup>UK and Ireland: Total inhalable dust: 10 mg/m<sup>3</sup> ; Respirable dust: 4 mg/m<sup>3</sup>

Quartz respirable dust:

European Union: 0,1mg/m<sup>3</sup>UK: 0,1 mg/m<sup>3</sup>Ireland: 0,1 mg/m<sup>3</sup>

(Contd. on page 6)

EUG

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 5)

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Provide adequate general ventilation and local process ventilation. Use local exhaust ventilation if necessary.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P3.

**Hand protection**

Protective gloves.

The hands must be cleaned from the powder before putting on the gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

**Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

**General Information**

**Physical state**

Solid.

**Colour:**

Light grey

**Odour:**

Weak, characteristic

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

Undetermined.

**Flammability**

Product is not flammable.

**Lower and upper explosion limit**

**Lower:**

Not applicable

**Upper:**

Not applicable

(Contd. on page 7)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 6)

<b>Flash point:</b>	Not applicable
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Mixture reacts violently with water.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>dynamic:</b>	Not applicable.
<b>Solubility</b>	
<b>Water:</b>	Hardens when in contact with water.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not applicable.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Particle characteristics</b>	
See section 3.	

<b>9.2 Other information</b>	None.
<b>Appearance:</b>	
<b>Form:</b>	Powder
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>EU-VOC (%)</b>	0.0000 %
<b>EU-VOC (g/L)</b>	0.0000 g/l
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not applicable.

<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void

(Contd. on page 8)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 7)

<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions**

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid**

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 85117-09-5 Lime (chemical), hydraulic</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,500 mg/kg	(Rabbit)
Inhalative	LC50/4 h	>6.04 mg/l	(Rat)
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,500 mg/kg	(Rabbit)

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

EUG

(Contd. on page 9)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 8)

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment	
<b>CAS: 85117-09-5 Lime (chemical), hydraulic</b>	
LC50/96h	158 mg/l (Daphnia magna) 50.6-457 mg/l (Fish)
EC50/48h	49.1 mg/l (Daphnia magna)
EC50/72h	184.57 mg/l (Algae)
NOEC (72h)	48 mg/l (Algae)
<b>CAS: 1305-62-0 calcium dihydroxide</b>	
LC50/48h	1,830 mg/l (aquatic invertebrates)
LC50/96h	158 mg/l (aquatic invertebrates) 50.6-457 mg/l (Fish)
EC50/48h	49.1 mg/l (aquatic invertebrates)
EC50/72h	184.57 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	48 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	33.3 mg/l (aquatic invertebrates)
NOEC (14d)	32 mg/l (aquatic invertebrates)

**12.2 Persistence and degradability** No further relevant information available.

**Other information:** The product is not easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Remark:**

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

**Behaviour in sewage processing plants:**

Type of test / Effective concentration / Method / Assessment	
<b>CAS: 85117-09-5 Lime (chemical), hydraulic</b>	
EC 50 (3h)	300.4 mg/l (microorganisms)
<b>CAS: 1305-62-0 calcium dihydroxide</b>	
EC 50 (3h)	300.4 mg/l (microorganisms)

(Contd. on page 10)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 9)

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

**European waste catalogue**

10 13 99	wastes not otherwise specified
HP4	Irritant - skin irritation and eye damage

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleaning agent:** Thoroughly shake out sacks.

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR, ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
<b>UN "Model Regulation":</b>	Void

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

(Contd. on page 11)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 10)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Shelf-life of the product: see details on the packaging.

For bulk product: shelf life 3 months starting from date on the Delivery note.

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation	Skin irritation 2, H315. based on cement based mixtures in-vitro test results
Serious eye damage/irritation	Eye damage 1, H318. based on cement based mixtures in-vitro test results

**Department issuing SDS:**

Saint-Gobain Finland Oy / Weber

QEHS

(Contd. on page 12)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version number 8 (replaces version 7)

Revision: 01.11.2023

**Trade name: webercal 109 Hydraulic Primer Render**

(Contd. of page 11)

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

**Contact:**

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

**Version number of previous version: 7**

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

