

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: **webertec 930**

Safety data sheet no.: 358P0440

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Thickener pulps

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-products@stg.fi | [stg@stg.fi](mailto:stg@stg.fi)

[www.i.weber](http://www.i.weber)

**1.4 Emergency telephone number:**

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS05 GHS07

**Signal word** Danger

**Hazard-determining components of labelling:**

cement portland, grey

**Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

(Contd. on page 2)

EUG

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 1)

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P362 Take off contaminated clothing.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**Determination of endocrine-disrupting properties** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

**Description:** Ready-mixed mortar with Portland cement

**Dangerous components:**

CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	25-50%
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %	25-50%
CAS: 1317-65-3 EINECS: 215-279-6 Reg.nr.: 01-2119486795-18-xxxx	calcium carbonate substance with a Community workplace exposure limit	2-5%
CAS: 69012-64-2 EINECS: 273-761-1 Reg.nr.: 01-2119486866-17-xxxx	amorphous silica (fume) substance with a Community workplace exposure limit	1-2%
CAS: 68475-76-3 EINECS: 270-659-9 Reg.nr.: 01-2119486767-17-xxxx	Flue dust, portland cement ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥0.1-<1%

**SVHC** Void

**Additional information**

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

(Contd. on page 3)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

For the wording of the listed hazard statements refer to section 16.

(Contd. of page 2)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.**After inhalation** Supply fresh air; consult doctor in case of complaints.**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**Information for doctor** None

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents** Use fire extinguishing methods suitable to surrounding conditions.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

**Protective equipment:** Use methods suitable to surrounding conditions.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.**6.3 Methods and material for containment and cleaning up:** Pick up mechanically.**6.4 Reference to other sections** See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

EUG

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

Trade name: webertec 930

(Contd. of page 3)

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with acids.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

DNELs		
<b>CAS: 1317-65-3 calcium carbonate</b>		
Oral	Derived No Effect Level	6.1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.36 mg/m <sup>3</sup> (worker local long term value)
		1.06 mg/m <sup>3</sup> (consumer local long term value)
<b>CAS: 69012-64-2 amorphous silica (fume)</b>		
Inhalative	Derived No Effect Level	0.3 mg/m <sup>3</sup> (worker local long term value)
<b>CAS: 68475-76-3 Flue dust, portland cement</b>		
Inhalative	Derived No Effect Level	4 mg/m <sup>3</sup> (worker local short term value)
		0.84 mg/m <sup>3</sup> (worker local long term value)
		0.84 mg/m <sup>3</sup> (consumer local long term value)
		4 mg/m <sup>3</sup> (consumer local short term value)
PNECs		
<b>CAS: 65996-69-2 Slags, ferrous metal, blast furnace</b>		
Predicted No-Effect Concentration		1,000 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		500 mg/l (sea water rating factor)
		5,000 mg/l (fresh water rating factor)
<b>CAS: 68475-76-3 Flue dust, portland cement</b>		
Predicted No-Effect Concentration		5 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.028 mg/l (sea water rating factor)
		0.282 mg/l (fresh water rating factor)
CAS No. / Designation of material / % / Type / Value / Unit		
<b>CAS: 14808-60-7 Silicon dioxide (Quartz sand)</b>		
BOELV (European Union)	Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction	
MAK (Germany)	alveolengängige Fraktion	
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m <sup>3</sup>	
	Long-term value: 0.3* 0.1** mg/m <sup>3</sup>	
	*total; **total, respirabel: EK	

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 4)

LEP (Spain)	Long-term value: 0.05 mg/m <sup>3</sup> *Fracción resp:n,d,y
TWA (Italy)	Long-term value: 0.025 mg/m <sup>3</sup> A2, (j)
VLE (Portugal)	Long-term value: 0.025 mg/m <sup>3</sup> Resp.;A2; fibrose pulmonar; cancro do pulmão
OEL (Sweden)	Long-term value: 0.1 mg/m <sup>3</sup> C, M, respirabel fraktion
HTP (Finland)	Long-term value: 0.05 0.1* mg/m <sup>3</sup> alveolijae;*sitovat raja-arvot, pöly
<b>CAS: 65997-15-1 cement portland, grey</b>	
AGW (Germany)	Long-term value: 5 E mg/m <sup>3</sup> DFG
LEP (Spain)	Long-term value: 4 mg/m <sup>3</sup> fracción respirable: e, d
TWA (Italy)	Long-term value: 1 mg/m <sup>3</sup> (e, j), A4
VLE (Portugal)	Long-term value: 1 mg/m <sup>3</sup> Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value: 5* 1** mg/m <sup>3</sup> *hengittyvä pöly, **alveolijae
<b>CAS: 1317-65-3 calcium carbonate</b>	
TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup> (e)
<b>CAS: 69012-64-2 amorphous silica (fume)</b>	
AGW (Germany)	Long-term value: 0.3 A mg/m <sup>3</sup> DFG, Y, 1
GV (Denmark)	Short-term value: 0.2 mg/m <sup>3</sup> Long-term value: 0.1 mg/m <sup>3</sup> K, respirabel
LEP (Spain)	Long-term value: 2* mg/m <sup>3</sup> *Fracción respirable: d
TWA (Italy)	Long-term value: (2) mg/m <sup>3</sup> (j); silice, fumi
VLE (Portugal)	Long-term value: 2 mg/m <sup>3</sup> Irritacao; febre

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 6)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 5)

Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.  
 Use a moisturising skin cream after processing the product.

**Respiratory protection:**

Not necessary if room is well-ventilated.  
 In case of brief exposure or low pollution use respiratory filter device.  
 In case of intensive or longer exposure use self-contained respiratory protective device.  
 Short term filter device:  
 Filter P2.

**Hand protection**

Protective gloves.  
 The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.  
 Recommended thickness of the material:  $\geq 0.15$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

Breakthrough time:  $> 480$  min  
 Value for the permeation: Level  $\leq 6$   
 The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Colour:</b>	According to product specification
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Product is not flammable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>pH at 20 °C</b>	$> 12$ In water

(Contd. on page 7)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 6)

<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>dynamic:</b>	Not applicable.
<b>Solubility</b>	
<b>Water at 20 °C:</b>	1.5 g/l
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not applicable.
<b>Bulk density at 20 °C:</b>	1317 kg/m <sup>3</sup>
<b>Vapour density</b>	Not applicable.
<b>Particle characteristics</b>	See section 3.

<b>9.2 Other information</b>	None.
<b>Appearance:</b>	
<b>Form:</b>	Powder
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>EU-VOC (%)</b>	0.0000 %
<b>EU-VOC (g/L)</b>	0.0005 g/l
<b>Solids content:</b>	100.0 %
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not applicable.

<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void

(Contd. on page 8)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

Trade name: webertec 930

(Contd. of page 7)

Desensitised explosives

Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions**

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	/	Type	/	Value	/	Species
<b>CAS: 65997-15-1 cement portland, grey</b>						
Dermal		LD50		>2,000 mg/kg		(Rabbit)
<b>CAS: 65996-69-2 Slags, ferrous metal, blast furnace</b>						
Oral		LD50		>2,000 mg/kg		(Rat)
Dermal		LD50		>4,000 mg/kg		(Rat)
<b>CAS: 1317-65-3 calcium carbonate</b>						
Oral		LD50		>2,000 mg/kg		(Rat)
Dermal		LD50		>2,000 mg/kg		(Rat)
<b>CAS: 68475-76-3 Flue dust, portland cement</b>						
Oral		LD50		>2,000 mg/kg		(Rat)
Dermal		LD50		>2,000 mg/kg		(Rat)
Inhalative		LC50/4 h		6.04 mg/l		(Rat)

**Primary irritant effect:**

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 9)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 8)

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Type of test / Effective concentration / Method / Assessment**

**CAS: 65996-69-2 Slags, ferrous metal, blast furnace**

LC50/96h	>100 mg/l (Fish)
LC0/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>90,000 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	50-100 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	1,563 mg/l (aquatic invertebrates)
EC 0/48h	>100 mg /l (aquatic invertebrates)

**CAS: 1317-65-3 calcium carbonate**

LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>14 mg/l (aquatic algae and cyanobacteria)

**CAS: 69012-64-2 amorphous silica (fume)**

LC50/96h	100 mg/l (Fish)
EC50/24h	>1,003 mg/l (aquatic invertebrates)
EC50/72h	4,200 mg/l (Algae)
NOEC (72h)	323 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	100 mg/l (aquatic invertebrates)

**CAS: 68475-76-3 Flue dust, portland cement**

EC50/72h	22.4-28.2 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	11.1 mg/l (Fish)
NOEC (48h)	100 mg/l (aquatic invertebrates)
EC 10	10.3 mg/l (aquatic algae and cyanobacteria) 425 mg/l (microorganisms)

**12.2 Persistence and degradability** No further relevant information available.

**Method**

**CAS: 1317-65-3 calcium carbonate**

Biod. (28 days) >90 %

**Other information:** The product is not easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

(Contd. on page 10)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 9)

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

**Remark:**

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

**Behaviour in sewage processing plants:**

Type of test / Effective concentration / Method / Assessment	
<b>CAS: 65996-69-2 Slags, ferrous metal, blast furnace</b>	
EC 50 (3h)	>10,000 mg/l (microorganisms)
<b>CAS: 1317-65-3 calcium carbonate</b>	
EC 50 (3h)	>1,000 mg/l (microorganisms)
<b>CAS: 68475-76-3 Flue dust, portland cement</b>	
EC 50 (3h)	596-743 mg/l (microorganisms)

**Remark:** The product causes a significant pH change. Neutralise before introduction.

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**Recommendation**

After hardening, the product can be treated together with construction waste, in accordance with national and/or local regulations. Possible waste code 17 09 04.

European waste catalogue	
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 14	waste concrete and concrete sludge

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:**

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR, ADN, IMDG, IATA	Void
--	------

(Contd. on page 11)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 10)

<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
<b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets) :

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII Entry no. 47 Chromium VI compounds)

Conditions of restriction: 47

(Contd. on page 12)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

**Trade name: webertec 930**

(Contd. of page 11)

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- EUH203 Contains chromium (VI). May produce an allergic reaction.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation Serious eye damage/irritation Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--	--

**Department issuing SDS:**

Saint-Gobain Finland Oy / Weber  
QEHS  
P.O.Box 70 (Strömberginkuja 2)  
FI-00381 Helsinki

**Contact:**

Tel. +358-(0)10-44 22 00  
Fax +358-(0)10-44 22 520

(Contd. on page 13)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2024

Version number 4

Revision: 17.05.2024

Trade name: webertec 930

(Contd. of page 12)

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

