

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: weberfloor 4716 Primer

Safety data sheet no.: 358P0567

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Priming

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

### 1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

#### Additional information:

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

(Contd. on page 2)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 1)

<b>Dangerous components:</b>		
CAS: 124-68-5 EINECS: 204-709-8 Index number: 603-070-00-6 Reg.nr.: 01-2119475788-16-xxxx	2-amino-2-methylpropanol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 substance with a Community workplace exposure limit	1-2%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Note: B Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % substance with a Community workplace exposure limit	≥0.00025-<0.0015%

**SVHC** Void

**Additional information** For the wording of the listed hazard statements refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** Rinse nose, mouth and throat with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EUG

(Contd. on page 3)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 2)

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents

Alcohol-resistant foam

Carbon dioxide

Fire-extinguishing powder

Water haze

### 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide (CO)

Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

#### Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

**Information about fire - and explosion protection:** No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

#### Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

(Contd. on page 4)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 3)

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**DNELs**

**CAS: 124-68-5 2-amino-2-methylpropanol**

Oral	Derived No Effect Level	0.46 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	7.3 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	37 mg/kgxday (consumer systemic long term value)
		6.5 mg/m <sup>3</sup> (worker systemic long term value)
		1.6 mg/m <sup>3</sup> (consumer systemic long term value)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m <sup>3</sup> (worker local long term value)
		0.02 mg/m <sup>3</sup> (consumer local long term value)

**PNECs**

**CAS: 124-68-5 2-amino-2-methylpropanol**

Predicted No-Effect Concentration	0.03 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.0188 mg/l (sea water rating factor)
	0.188 mg/l (fresh water rating factor)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

Predicted No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.00339 mg/l (sea water rating factor)
	0.00339 mg/l (fresh water rating factor)

**CAS No. / Designation of material / % / Type / Value / Unit**

**CAS: 124-68-5 2-amino-2-methylpropanol**

AGW (Germany)	Long-term value: 3.7 mg/m <sup>3</sup> , 1 ppm 2(II);DFG, H, Y, 11
---------------	---

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

MAK (Germany)	Long-term value: 0.2E mg/m <sup>3</sup> vgl.Abschn.Xc
---------------	--

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 4)

### 8.2 Exposure controls

#### Individual protection measures, such as personal protective equipment

##### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Ensure adequate ventilation during use.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Take off contaminated clothing and wash before reuse.

##### Respiratory protection:

Use suitable respiratory protective device when the ambient concentration is greater than the exposure limit value.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A2/P2.

##### Hand protection

Protective gloves against chemicals (standard EN 374-1)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

##### Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Neoprene gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### Eye/face protection

Protective eyewear (standard EN 166)

Tightly sealed goggles

**Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

**Physical state**

Liquid

**Colour:**

White

**Odour:**

Characteristic

**Odour threshold:**

Not determined

**Melting point/freezing point:**

0 °C

**Boiling point or initial boiling point and boiling range**

100 °C

**Flammability**

Not applicable

**Lower and upper explosion limit**

**Lower:**

Not determined

**Upper:**

Not determined

(Contd. on page 6)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 5)

<b>Flash point:</b>	Not applicable
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined
<b>pH at 20 °C</b>	6.5-9.5
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>Water:</b>	Fully miscible
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined
<b>Relative density</b>	Not determined
<b>Bulk density at 20 °C:</b>	0.95 - 1.10 g/cm <sup>3</sup>
	Not applicable.
<b>Vapour density</b>	Not determined

### 9.2 Other information

**Appearance:**

**Form:** Dispersion

**Important information on protection of health and environment, and on safety.**

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

**Minimum ignition energy**

**Solvent separation test:** Not applicable.

**Change in condition**

**Softening point/range**

**Oxidising properties** Not determined.

**Evaporation rate** Not determined

### Information with regard to physical hazard classes

**Explosives** Void

**Flammable gases** Void

**Aerosols** Void

**Oxidising gases** Void

**Gases under pressure** Void

**Flammable liquids** Void

**Flammable solids** Void

**Self-reactive substances and mixtures** Void

**Pyrophoric liquids** Void

**Pyrophoric solids** Void

**Self-heating substances and mixtures** Void

**Substances and mixtures, which emit flammable gases in contact with water** Void

**Oxidising liquids** Void

**Oxidising solids** Void

**Organic peroxides** Void

(Contd. on page 7)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 6)

<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

This product can react with some agents under certain conditions. See the other points in this section

**10.2 Chemical stability** Stable at recommended storage conditions

**10.3 Possibility of hazardous reactions** Reacts with strong oxidizing agents

**10.4 Conditions to avoid** Avoid frost

**10.5 Incompatible materials:** Oxydising agents.

**10.6 Hazardous decomposition products:**

Styrene  
 Nitrogen oxides (NO<sub>x</sub>)

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)

**CAS: 124-68-5 2-amino-2-methylpropanol**

Oral	LD50	2,900 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

Oral	LD50	457 mg/kg	(Rat)
Dermal	LD50	660 mg/kg	(Rabbit)
Inhalative	LC50/4 h	2.36 mg/l	(Rat)

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 8)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 7)

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

**Type of test / Effective concentration / Method / Assessment**

**CAS: 124-68-5 2-amino-2-methylpropanol**

LC50/48h	179 mg/l (Daphnia magna) 220 mg/l (Fish)
LC50/96h	179 mg/l (Daphnia magna) 180 mg/l (Fish)
EC50/96h	103 mg/l (Algae)
EC50/72h	103-609 mg/l (Algae)
NOEC (72h)	6.6-103 mg/l (Algae)
NOEC (96h)	100 mg/l (Fish)
NOEC (48h)	100 mg/l (Daphnia magna)
NOEC (21d)	100 mg/l (Fish)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna) 0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna) 0.0107 mg/l (aquatic algae and cyanobacteria)
EC50/48h	0.16 mg/l (Daphnia magna) 0.0181-0.0371 mg/l (aquatic algae and cyanobacteria)
EC50/96h	0.0357 mg/l (aquatic algae and cyanobacteria)
EC50/72h	0.0063-0.0273 mg/l (aquatic algae and cyanobacteria)
NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)
NOEC (28d)	0.098 mg/l (Fish)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential**

No further relevant information available.

**CAS: 124-68-5 2-amino-2-methylpropanol**

EBAB | log Pow

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

EBAB | 0.75 log Pow

(Contd. on page 9)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 8)

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

**Behaviour in sewage processing plants:**

Type of test / Effective concentration / Method / Assessment	
<b>CAS: 124-68-5 2-amino-2-methylpropanol</b>	
EC 50 (3h)	342.9 mg/l (microorganisms)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>	
EC 50 (3h)	4.5 mg/l (microorganisms)

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**Recommendation** Dispose of the product in accordance with national and local regulations.

European waste catalogue	
07 02 99	wastes not otherwise specified

**Uncleaned packaging:**

**Recommendation:** Non contaminated packagings may be recycled.

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR, ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable
<b>14.6 Special precautions for user</b>	Not applicable

(Contd. on page 10)

EUG

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as amended  
 by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 9)

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

**Transport/Additional information:**

Not dangerous according to the above specifications.

**UN "Model Regulation":**

Void

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

#### REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

#### REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

#### Regulation (EU) No 649/2012

None of the ingredients is listed.

#### DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### REGULATION (EU) 2019/1148

#### Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

#### Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

EUG

(Contd. on page 11)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 10)

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.  
H310 Fatal in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

**Department issuing SDS:**

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

**Contact:**

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

**Version number of previous version: 6****Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 12)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as amended  
by Regulation (EU) 2020/878.

Printing date 23.04.2026

Version number 7 (replaces version 6)

Revision: 22.04.2026

**Trade name: weberfloor 4716 Primer**

(Contd. of page 11)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG