

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifierTrade name: **Pieri DRC 6 02**

Safety data sheet no.: 358P1156

1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is intended for industrial or professional use.

Application of the substance / the mixture Construction chemicals**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Saint-Gobain Finland Oy

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Phone: +358-(0)10-44 22 00

e-mail: DL-productsafety.fi@saint-gobain.com

1.4 Emergency telephone number:

+358 800 147 111

+358 9 471 977

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 1)

Hazard pictograms


GHS02 GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

 Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
 L-(+)-Tartaric acid

Hazard statements

 H226 Flammable liquid and vapour.
 H318 Causes serious eye damage.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P273 Avoid release to the environment.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Additive

Dangerous components:

EC number: 927-241-2 Reg.nr.: 01-2119471843-32-xxxx	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ STOT SE 3, H336; Aquatic Chronic 3, H412	25-50%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide substance with a Community workplace exposure limit	5-10%

(Contd. on page 3)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 2)

CAS: 77-92-9 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-xxxx	citric acid	2-5%
	⚠ Eye Irrit. 2, H319; STOT SE 3, H335 substance with a Community workplace exposure limit	
CAS: 87-69-4 EINECS: 201-766-0 Reg.nr.: 01-2119537204-47-xxxx	L-(+)-Tartaric acid	≥3-≤5%
	⚠ Eye Dam. 1, H318 substance with a Community workplace exposure limit	
CAS: 61791-53-5 EINECS: 263-186-4	Amines, N-tallow alkyltrimethylenedi-, oleates	≥2.5-<5%
	⚠ STOT RE 2, H373; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limit: STOT RE 2; H373: C ≥ 50%	

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents Water with full jet

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 3)

5.3 Advice for firefighters**Protective equipment:** Wear self-contained respiratory protective device.**Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

6.2 Environmental precautions:

The product must not get into lakes, rivers or canals, the sewage system or into the soil. Dam up or trap any escaping fluid immediately.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb with sawdust or other combustible absorbents.

Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Use only in well ventilated areas.

Do not drink or eat while working. Wash hands thoroughly before breaks and after finishing work.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Information about fire - and explosion protection:

Use explosion-proof apparatus / fittings and spark-proof tools.

Keep away from heat, sparks, open flames and hot surfaces.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground and bond container and receiving equipment.

(Contd. on page 5)

EUG

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 4)

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product.

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

Store receptacles in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Oral	Derived No Effect Level	46 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	77 mg/kgxday (worker systemic long term value)
		46 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	871 mg/m ³ (worker systemic long term value)
		185 mg/m ³ (consumer systemic long term value)
CAS: 13463-67-7 titanium dioxide		
Inhalative	Derived No Effect Level	1.25 mg/m ³ (worker local long term value)
		0.21 mg/m ³ (consumer local long term value)
CAS No. / Designation of material / % / Type / Value / Unit		
CAS: 13463-67-7 titanium dioxide		
AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einatembare; AGS, DFG, Y	
GV (Denmark)	Short-term value: 12 mg/m ³	
	Long-term value: 6 mg/m ³ K, som Ti	
LEP (Spain)	Long-term value: 10 mg/m ³	
TWA (Italy)	Long-term value: 10 mg/m ³ A4	
VLE (Portugal)	Long-term value: 10 mg/m ³ A4; Irritação do TRI	
OEL (Sweden)	Long-term value: 5 mg/m ³ totaldamm	

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 5)

CAS: 77-92-9 citric acid	
AGW (Germany)	Long-term value: 2 E mg/m ³ 2(I);DFG, Y
CAS: 87-69-4 L-(+)-Tartaric acid	
AGW (Germany)	Long-term value: 2 E mg/m ³ 2(I);DFG, Y

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves against chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

The hands must be cleaned from the powder before putting on the gloves.

Check protective gloves prior to each use for their proper condition.

Material of gloves

Nitrile rubber, NBR

PVC gloves

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Protective eyewear (standard EN 166)

Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Brown

Odour:

Characteristic

Odour threshold:

Not determined

Melting point/freezing point:

Undetermined

(Contd. on page 7)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 6)

Boiling point or initial boiling point and boiling range	130 °C (DIN)
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	0.6 Vol % (DIN 51649)
Upper:	6.5 Vol % (DIN 51649)
Flash point:	28 °C (DIN ISO 2592, Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics)
Auto-ignition temperature:	>230 °C (DIN 51794)
Decomposition temperature:	Not determined
pH	Not determined
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure at 20 °C:	1 hPa (DIN 51640)
Density and/or relative density	
Density at 20 °C:	1.1 g/cm ³ (DIN 51757)
Relative density	Not determined
Bulk density:	Not applicable.
Vapour density	Not determined

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Minimum ignition energy	
Solvent separation test:	Not determined
EU-VOC (%)	38.2200 %
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.

(Contd. on page 8)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 7)

Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid

Avoid heat, sparkles, naked flame or other sources of ignition.

Avoid frost

10.5 Incompatible materials:

Heat sources

Ignition sources

10.6 Hazardous decomposition products:

Carbon monoxide

Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	/	Type	/	Value	/	Species
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics						
Oral	LD50	15,000 mg/kg	(Rat)			
Dermal	LD50	3,160 mg/kg	(Rabbit)			
CAS: 13463-67-7 titanium dioxide						
Oral	LD50	>5,000 mg/kg	(Rat)			
CAS: 77-92-9 citric acid						
Oral	LD50	>5,400 mg/kg	(Mouse)			

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 8)

Dermal	LD50	>2,000 mg/kg (Rat)
CAS: 87-69-4 L-(+)-Tartaric acid		
Oral	LD50	5,000 mg/kg (Rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects (H412).

Type of test / Effective concentration / Method / Assessment

CAS: 13463-67-7 titanium dioxide

IC50/72h	1 mg/l (Fish)
LC50/48h	>100 mg/l (aquatic invertebrates)
LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>100 mg/l (Algae)
NOEC (72h)	≥10 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	≥1 mg/l (aquatic plants other than algae)
NOEC (21d)	≥100 mg/l (aquatic invertebrates)
NOEC (28d)	≥100 mg/l (aquatic invertebrates)
	≥0.07 mg/l (Fish)

CAS: 77-92-9 citric acid

LC50/48h	440-760 mg/l (Fish)
LC50/24h	1,535 mg/l (aquatic invertebrates)
LC50/96h	>100 mg/l (Fish)
LC0/48h	200-620 mg/l (Fish)
EC50/48h	>50 mg/l (aquatic invertebrates)
EC50/72h	120 mg/l (aquatic invertebrates)

(Contd. on page 10)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 9)

CAS: 87-69-4 L-(+)-Tartaric acid

LC50/96h	>100 mg/l (Fish)
EC50/48h	93.313 mg/l (aquatic invertebrates)
EC50/72h	51.404-100 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	>100 mg/l (aquatic invertebrates)

12.2 Persistence and degradability No further relevant information available.

Method

CAS: 77-92-9 citric acid

Biod. (28 days)	97 % (Biodegradation)
-----------------	-----------------------

12.3 Bioaccumulative potential

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

EBAB	1.99-5.25 log Pow
------	-------------------

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 13463-67-7 titanium dioxide

EC 50 (3h)	1,000 mg/l (microorganisms)
------------	-----------------------------

CAS: 87-69-4 L-(+)-Tartaric acid

EC 50 (3h)	>1,000 mg/l (microorganisms)
------------	------------------------------

Other information:

CAS: 77-92-9 citric acid

Chemical Oxygen Demand (COD)	750 mg O2/g
BOD (5)	625 mg O2/g

Additional ecological information:

General notes:

Harmful to aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

European waste catalogue

08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
-----------	---

(Contd. on page 11)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02



(Contd. of page 10)

HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR IMDG, IATA	1263 PAINT PAINT
14.3 Transport hazard class(es) ADR	
	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	F-E,S-E
Stowage Category	A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable

(Contd. on page 12)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 11)

Transport/Additional information:

ADR

Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E

IMDG

Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 1263 PAINT, 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)
 Regulation (EC) No 1272/2008 (CLP)
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)
Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.
Seveso category P5c FLAMMABLE LIQUIDS
Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 13)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 12)

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Flammable liquids	Bridging principles
Serious eye damage/irritation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 14)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 09.04.2026

Trade name: Pieri DRC 6 02

(Contd. of page 13)

Department issuing SDS: QEHS**Contact:**

+358-(0)10-44 22 00

DL-productsafety.fi@saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.