

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: weber Concrete impregnation creme

Safety data sheet no.: 358P0146

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

As the product reacts with concrete ethanol vapours are released. The vapours are flammable and may cause narcotic effects.

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Alkoxy silanes + siloxane + water

Dangerous components:

| | | |
|---|---|-------------------|
| CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 | reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Note: B Specific concentration limits: Skin Corr. 1C; H314:C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % substance with a Community workplace exposure limit | ≥0.00025-<0.0015% |
|---|---|-------------------|

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Rinse your mouth thoroughly and drink 1-2 glasses of water in small sips.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EUG

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Highly volatile, flammable constituents are released during processing.

Flammable gas-air mixtures may form in empty receptacles.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Ensure sufficient ventilation for storage and work areas.

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in a cool place.

Protect from heat and direct sunlight.

Store in dry conditions.

Protect from freezing.

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 3)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | | |
|------------|-------------------------|--|
| Oral | Derived No Effect Level | 0.09 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 0.02 mg/m ³ (worker local long term value) 0.02 mg/m ³ (consumer local long term value) |

PNECs

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | |
|-----------------------------------|--|
| Predicted No-Effect Concentration | 0.01 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) |

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | |
|---------------|--|
| MAK (Germany) | Long-term value: 0.2E mg/m ³ vgl.Abschn.Xc |
|---------------|--|

Additional Occupational Exposure Limit Values for possible hazards during processing:

Product may release ethanol.

Finland

Ethanol HTP(8h) = 1900 mg/m³ = 1000 ppm

HTP(15min) = 2500 mg/m³ = 1300 ppm

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Ensure adequate ventilation during use.

Respiratory protection:

Use suitable respiratory protective device when the ambient concentration is greater than the exposure limit value.

Self-contained respiratory protective device.

ABEK-P2 combination filter

Hand protection

Protective gloves against chemicals (standard EN 374-1)

(Contd. on page 5)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.
Check protective gloves prior to each use for their proper condition.

Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Breakthrough time: > 480 min

Eye/face protection

Protective eyewear (standard EN 166)

Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information**

| | |
|---|------------------------------------|
| Physical state | Liquid |
| Colour: | According to product specification |
| Odour: | Mild |
| Odour threshold: | Not determined |
| Melting point/freezing point: | Undetermined |
| Boiling point or initial boiling point and boiling range | 100 °C |
| Flammability | Not applicable |
| Lower and upper explosion limit | |
| Lower: | 3.5 Vol % (DIN 51649) |
| Upper: | 15 Vol % (DIN 51649) |
| Flash point: | 64 °C (ISO 3679) |
| Auto-ignition temperature: | 265 °C |
| Decomposition temperature: | Not determined |
| pH at 25 °C | 4.5-7 |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| dynamic: | Not determined. |
| Solubility | |
| Water: | Fully miscible |
| Partition coefficient n-octanol/water (log value) | Not determined |
| Vapour pressure at 20 °C: | 23 hPa |
| Density and/or relative density | |
| Density: | Not determined |
| Relative density | Not determined |

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 5)

| | |
|-------------------------------|--|
| Bulk density at 20 °C: | 0.9 g/cm ³ Not applicable. |
| Vapour density | Not determined |

9.2 Other information

Appearance:

Form: Pasty

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not applicable.

EU-VOC (%): 0.00 %

EU-VOC (g/L): 0.0 g/l

Change in condition

Softening point/range

Oxidising properties: Not determined.

Evaporation rate: Not determined

Information with regard to physical hazard classes

| | |
|--|------|
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1 Reactivity Not reactive under normal conditions of use

10.2 Chemical stability Stable at recommended storage conditions

10.3 Possibility of hazardous reactions Decomposes with water, acids and alkalis

10.4 Conditions to avoid

Keep away from heat sources.

Keep away from sources of ignition. Protect from frost.

(Contd. on page 7)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 6)

10.5 Incompatible materials: Reacts slowly with water and acids forming ethanol.

10.6 Hazardous decomposition products: Ethanol

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Components | Type | Value | Species |
|------------|------|-------|---------|
|------------|------|-------|---------|

in part conclusion by analogy

| | | | |
|------------|----------|--------------------|--|
| Oral | LD50 | >2,000 mg/kg (Rat) | |
| Dermal | LD50 | >2,000 mg/kg (Rat) | |
| Inhalative | LC50/4 h | >5.2 mg/l (Rat) | |

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | | | |
|------------|----------|--------------------|--|
| Oral | LD50 | 457 mg/kg (Rat) | |
| Dermal | LD50 | 660 mg/kg (Rabbit) | |
| Inhalative | LC50/4 h | 2.36 mg/l (Rat) | |

Primary irritant effect:
Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | | | |
|----------|----------------------------|--|--|
| LC50/48h | 0.18 mg/l (Daphnia magna) | | |
| LC50/96h | 0.282 mg/l (Daphnia magna) | | |
| | 0.19-0.3 mg/l (Fish) | | |

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 7)

| | |
|------------|---|
| EC50/24h | 0.109 mg/l (Daphnia magna) 0.0107 mg/l (aquatic algae and cyanobacteria) |
| EC50/48h | 0.16 mg/l (Daphnia magna) 0.0181-0.0371 mg/l (aquatic algae and cyanobacteria) |
| EC50/96h | 0.0357 mg/l (aquatic algae and cyanobacteria) |
| EC50/72h | 0.0063-0.0273 mg/l (aquatic algae and cyanobacteria) |
| NOEC (14d) | 0.035 mg/l (Daphnia magna) |
| NOEC (21d) | 0.011-1.05 mg/l (Daphnia magna) |
| NOEC (28d) | 0.098 mg/l (Fish) |

12.2 Persistence and degradability

Not easily biodegradable

Contact with water liberates ethanol and silanol- and/or siloxanol-compounds.

12.3 Bioaccumulative potential

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]
and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

EBAB | 0.75 log Pow

12.4 Mobility in soil

 No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

 No further relevant information available.

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]
and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

EC 50 (3h) | 4.5 mg/l (microorganisms)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

Waste disposal key:

The classification in a waste code according to the european waste catalogue (EWC) is to be made in accordance with the regional responsible for waste disposal

European waste catalogue

07 02 17 | waste containing silicones other than those mentioned in 07 02 16

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 8)

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

| | |
|---|--|
| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class | Void |
| 14.4 Packing group ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | Not applicable |
| 14.6 Special precautions for user | Not applicable |
| 14.7 Maritime transport in bulk according to IMO instruments | Not applicable |
| Transport/Additional information: | Not dangerous according to the above specifications. |
| UN "Model Regulation": | Void |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)
 Regulation (EC) No 1272/2008 (CLP)
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)
 Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2
Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 75

(Contd. on page 10)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 9)

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber
QEHS
P.O.Box 70 (Strömberginkuja 2)

(Contd. on page 11)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 13.05.2026

Version number 7 (replaces version 6)

Revision: 13.05.2026

Trade name: weber Concrete impregnation creme

(Contd. of page 10)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Version number of previous version: 6**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.