

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: weber WP+ Waterproofing Membrane

Safety data sheet no.: 358P0498

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH208 Contains 1,2-benzisothiazoline-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: 1,2-benzisothiazoline-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

EUG

(Contd. on page 2)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Styrene butadiene dispersion

Mixture of substances listed below with non hazardous additions.

Dangerous components:

| | | |
|---|--|-------------------|
| CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 | 1,2-benzisothiazoline-3(2H)-one ----- ☠ Acute Tox. 2, H330; ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317:C ≥ 0.036 % substance with a Community workplace exposure limit | ≥0.025-<0.036% |
| CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 | reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) ----- ☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ☠ Skin Sens. 1A, H317, EUH071 Note: B Specific concentration limits: Skin Corr. 1C; H314:C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % substance with a Community workplace exposure limit | ≥0.00025-<0.0015% |

SVHC Void

Additional information

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 2)

Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO₂, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

warm water and cleaning agent

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Products must be stored in their original packaging, protected from the effects of weather and soil moisture.

Packaging must remain undamaged to prevent the product from leaking into the environment.

When opening the packaging, avoid spillage of the product.

Apply the product according to the instructions for use.

Collect water from cleaning of tools or other equipment for reuse or disposal according to local regulations. Do not dispose cleaning water into the environment or stormwater drains.

(Contd. on page 4)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 3)

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs
CAS: 14807-96-6 Talc (Mg₃H₂(SiO₃)₄)

| | | |
|------------|-------------------------|--|
| Oral | Derived No Effect Level | 160 mg/kgxday (consumer systemic long term value) 160 mg/kgxday (consumer systemic short term value) |
| Dermal | Derived No Effect Level | 43.2 mg/kgxday (worker systemic long term value) 21.6 mg/kgxday (consumer systemic long term value) 4.54 mg/kgxday (worker local long term value) 2.27 mg/kgxday (consumer local long term value) |
| Inhalative | Derived No Effect Level | 2.16 mg/m ³ (worker systemic long term value) 2.16 mg/m ³ (worker systemic short term value) 1.08 mg/m ³ (consumer systemic long term value) 1.08 mg/m ³ (consumer systemic short term value) 3.6 mg/m ³ (worker local short term value) 3.6 mg/m ³ (worker local long term value) 1.8 mg/m ³ (consumer local long term value) 1.8 mg/m ³ (consumer local short term value) |

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

| | | |
|------------|-------------------------|---|
| Dermal | Derived No Effect Level | 0.966 mg/kgxday (worker systemic long term value) 0.345 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 6.81 mg/m ³ (worker systemic long term value) 1.2 mg/m ³ (consumer systemic long term value) |

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | | |
|------------|-------------------------|--|
| Oral | Derived No Effect Level | 0.09 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 0.02 mg/m ³ (worker local long term value) 0.02 mg/m ³ (consumer local long term value) |

(Contd. on page 5)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

| |
|---|
| Trade name: weber WP+ Waterproofing Membrane |
|---|

(Contd. of page 4)

| | |
|--|---|
| PNECs | |
| CAS: 14807-96-6 Talc (Mg₃H₂(SiO₃)₄) | |
| Predicted No-Effect Concentration | 141.26 mg/l (sea water rating factor) 597.97 mg/l (fresh water rating factor) |
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | |
| Predicted No-Effect Concentration | 3 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | |
| Predicted No-Effect Concentration | 0.01 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) |

| CAS No. / Designation of material / % / Type / Value / Unit | |
|--|--|
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | |
| MAK (Germany) | vgl.Abschn.IIb und Xc |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | |
| MAK (Germany) | Long-term value: 0.2E mg/m ³ vgl.Abschn.Xc |

8.2 Exposure controls**Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Not necessary if room is well-ventilated.**Hand protection** Protective gloves against chemicals (standard EN 374-1)**Material of gloves**

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Protective eyewear (standard EN 166)**Body protection:** Protective work clothing.

EUG

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

| | |
|---|------------------------|
| Physical state | Liquid |
| Colour: | Light grey |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| Melting point/freezing point: | Undetermined |
| Boiling point or initial boiling point and boiling range | 100 °C (DIN) |
| Flammability | Not applicable |
| Lower and upper explosion limit | |
| Lower: | Not determined |
| Upper: | Not determined |
| Flash point: | Not applicable |
| Auto-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined |
| pH at 20 °C | <9 |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| dynamic: | Not determined. |
| Solubility | |
| Water: | Miscible |
| Partition coefficient n-octanol/water (log value) | Not determined |
| Vapour pressure: | Not determined |
| Density and/or relative density | |
| Density at 20 °C: | 1.25 g/cm ³ |
| Relative density | Not determined |
| Bulk density: | Not applicable. |
| Vapour density | Not determined |

9.2 Other information

| | |
|--|---|
| Appearance: | |
| Form: | Fluid |
| Important information on protection of health and environment, and on safety. | |
| Ignition temperature: | Product is not self-igniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Minimum ignition energy | |
| Solvent separation test: | Not determined |
| Solvent content: | |
| Organic solvents: | 0.0 % |
| Change in condition | |
| Softening point/range | |
| Oxidising properties | Not determined. |
| Evaporation rate | Not determined |

(Contd. on page 7)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 6)

Information with regard to physical hazard classes

| | |
|--|------|
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- 10.1 Reactivity** Not reactive under normal conditions of use
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Components | / | Type | / | Value | / | Species |
|--|---|------|---|--------------|---|---------|
| CAS: 14807-96-6 Talc (Mg₃H₂(SiO₃)₄) | | | | | | |
| Oral | | LD50 | | 5,000 mg/kg | | (Rat) |
| Dermal | | LD50 | | >2,000 mg/kg | | (Rat) |
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | | | | | | |
| Oral | | LD50 | | 450 mg/kg | | (ATE) |
| Dermal | | LD50 | | >2,000 mg/kg | | (Rat) |

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 7)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | | |
|------------|----------|--------------------|
| Oral | LD50 | 457 mg/kg (Rat) |
| Dermal | LD50 | 660 mg/kg (Rabbit) |
| Inhalative | LC50/4 h | 2.36 mg/l (Rat) |

Primary irritant effect:
Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Slightly irritating

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment
Copolymer based on styrene and butadiene

| | |
|----------|--|
| LC50/96h | 100 mg/l (Brachydanio rerio (zebra danio)) |
| EC50/48h | 100 mg/l (Daphnia magna) |
| EC50/72h | 100 mg/l (Scenedesmus subspicatus (Algae)) |

CAS: 14807-96-6 Talc (Mg3H2(SiO3)4)

| | |
|------------|--|
| LC50/48h | 36,812 mg/l (aquatic invertebrates) |
| LC50/96h | 89,581-110,000 mg/l (Fish) |
| EC50/96h | 7,203 mg/l (aquatic algae and cyanobacteria) |
| NOEC (28d) | 918 mg/l (aquatic algae and cyanobacteria) |
| | 1,460 mg/l (aquatic invertebrates) |
| | 1,413-5,980 mg/l (Fish) |

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

| | |
|------------|---|
| LC50/96h | 2.15-22 mg/l (Fish) |
| EC50/48h | 2.9 mg/l (aquatic invertebrates) |
| EC50/72h | 0.07-0.15 mg/l (aquatic algae and cyanobacteria) |
| NOEC (72h) | 0.0403-0.055 mg/l (aquatic algae and cyanobacteria) |

(Contd. on page 9)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 8)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

| | |
|------------|--|
| LC50/48h | 0.18 mg/l (Daphnia magna) |
| LC50/96h | 0.282 mg/l (Daphnia magna) |
| | 0.19-0.3 mg/l (Fish) |
| EC50/24h | 0.109 mg/l (Daphnia magna) |
| | 0.0107 mg/l (aquatic algae and cyanobacteria) |
| EC50/48h | 0.16 mg/l (Daphnia magna) |
| | 0.0181-0.0371 mg/l (aquatic algae and cyanobacteria) |
| EC50/96h | 0.0357 mg/l (aquatic algae and cyanobacteria) |
| EC50/72h | 0.0063-0.0273 mg/l (aquatic algae and cyanobacteria) |
| NOEC (14d) | 0.035 mg/l (Daphnia magna) |
| NOEC (21d) | 0.011-1.05 mg/l (Daphnia magna) |
| NOEC (28d) | 0.098 mg/l (Fish) |

12.2 Persistence and degradability Not easily biodegradable

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

EBAB | 0.7 log Pow

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EBAB | 0.75 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

EC 50 (3h) | 12.8-24 mg/l (microorganisms)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) | 4.5 mg/l (microorganisms)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

(Contd. on page 10)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 9)

Follow the producers use and disposal instructions to avoid the releases to the environment.
 When cleaning tools: remove product residues from the mixing and application tools before cleaning them with water.

European waste catalogue

| | |
|----------|--------------------------------|
| 07 02 99 | wastes not otherwise specified |
|----------|--------------------------------|

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

SECTION 14: Transport information

14.1 UN number or ID number
ADR, IMDG, IATA

Void

14.2 UN proper shipping name
ADR, IMDG, IATA

Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA
Class

Void

14.4 Packing group
ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to
IMO instruments

Not applicable

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

This product is subject to the Regulation (EU) 2023/2055 amending REACH Annex XVII 'Restriction List' as regards Synthetic Polymer Microparticles (Entry no.78 on the List).

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 11)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 10)

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.

(Contd. on page 12)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 10.06.2026

Version number 2 (replaces version 1)

Revision: 10.06.2026

Trade name: weber WP+ Waterproofing Membrane

(Contd. of page 11)

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Version number of previous version: 1

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.